

SB Cure 309

INNOTECH SB CURE 309 is a styrene-acrylic polymer, film-forming curing compound. INNOTECH SB CURE 309 leaves a non-yellowing film that assists the cure of freshly-placed concrete and provides excellent sealing characteristics.

Product Features and Benefits

INNOTECH SB CURE 309...

- Meets ASTM C 309, ASTM 1315, AASHTO M148 and USDA/EPA 40CPR-D regulations.
- Provides both a protective and decorative finish.
- Helps protect surfaces from chalking, staining and dirt contamination.
- Will deepen and enhance the color of concrete, terrazzo or masonry surfaces, when applied according to directions.
- Is non-yellowing and provides excellent resistance to water, UV light and a variety of chemicals.

Product Application

NOTE: When applying INNOTECH SB CURE 309, do not allow product to puddle. Apply product as uniformly as possible.

- Surface should be clean and clear of any standing water. Do not apply if rain is imminent.
- INNOTECH SB CURE 309 is best applied with a professional grade solvent resistant sprayer.
- One light application is generally enough.
- After 28 days, concrete cured with INNOTECH SB CURE 309 can be re-coated with applicable VOC compliant INNOTECH SOLVENT-BASED SEALERS.

Coverage Information

Coverage rates may vary depending on the texture, porosity and condition of the concrete, application method, and other local conditions.

- Rough or Broom Finish: Approximately 200 sq.ft. per gallon, per coat.
- Smooth Finish: Approximately 300 sq.ft. per gallon, per coat.

Dry Time

Drying times below will vary depending on surface porosity, temperature, humidity and local conditions.

- Approximate dry time: <1 hour, at 73 °F, 50% RH.
- Foot Traffic: Light traffic can be allowed 2-4 hours following application.
- Vehicle Traffic: Vehicle traffic can be allowed 24 hours following application.

Technical Information

- | | | | |
|------------------------|-------------------------|--------------------------|-----------------------------------|
| • Color | Clear, viscous solution | • Odor | Typical aromatic hydrocarbon odor |
| • Solids Content | 25% | • Specific Gravity | 0.87 |
| • Density | 7.67 pounds per gallon | • Flash Point | 100 °F |
| • VOC Content | <350 g/l | • Opacity | Clear |

Available Packaging

INNOTECH SB CURE 309 is available in 5-gallon pails.

Product Shelf Life/Storage

Store INNOTECH SB CURE 309 indoors, away from direct sunlight and sources of ignition. Do not allow product to freeze. Shelf life: 24 months.

Product Handling

Prior to using INNOTECH SB CURE 309 please reference the corresponding Safety Data Sheet to ensure safe handling. Always wear gloves and eye protection when handling product.

Product Warranty

INNOTECH SB CURE 309 is a proprietary product, warranted to be of uniform quality within our stringent manufacturing tolerances. As no control is exercised over the product use, no warranty is made as to the effects of such use (neither expressed or implied). Obligation of the seller and manufacturer under this warranty shall be limited to a refund of the purchase price of that portion of the material proven to be defective. The user assumes all other risk and liability resulting from uses of this product. Contact INNOTECH with any questions regarding this policy.

PLEASE REFER TO CORRESPONDING TECHNICAL BULLETIN FOR PRODUCT AND APPLICATION DATA.

INNOTECH SB CURE 309 and other INNOTECH products are for professional use only.

INNOTECH products can be purchased at: