Safety Data Sheet acc. to OSHA HCS

Printing date 11/17/2022

Reviewed on 11/17/2022

1 Identification

- · Product identifier
- Trade name: AQUABLAK 7600
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Chromascape 7555 E Pleasant Valley Rd Independence, OH 44131
- Information department: phone 888.421.0010 email healthsafety@chromascape.com
 Emergency telephone number:
- Call Chemtrec tel: 1 800 424 9300 Outside the United States call 703 527 3887

2 Hazard(s) identification

· Classification of the substance or mixture

GHS07

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

Eye Irritation 2B H320 Causes eye irritation.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:
- 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol
- Hazard statements
- Causes eye irritation.
- May cause an allergic skin reaction.
- Precautionary statements
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Wash thoroughly after handling.
- Contaminated work clothing must not be allowed out of the workplace.
- Wear protective gloves.
- If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see on this label).


- (Contd. on page 2)
 - US

Safety Data Sheet acc. to OSHA HCS

Reviewed on 11/17/2022

Printing date 11/17/2022

Trade name: AQUABLAK 7600



4 First-aid measures

· Description of first aid measures

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
 Indication of any immediate medical attention and special treatments.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)

US

Safety Data Sheet acc. to OSHA HCS

Printing date 11/17/2022

CHR

Reviewed on 11/17/2022

Trade name: AQUABLAK 7600

(Contd. of page 2)

5 Fire-fighting measures

Extinguishing media

- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment:

Should be equipped with self contained breathing apparatus and protective clothing.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear appropriate safety equipment.
- · Environmental precautions: No special measures required.
- \cdot Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Wear appropriate safety equipment.

Contain and clean up spill immediately.

Prevent from entering floor drains.

Sweep powders carefully minimizing dusting.

Shovel all spill materials into disposal drums and follow disposal instructions.

Scrub spill area with detergent and flush with copious amount of water.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· PAC-1:		
9003-11-6	AMINO-METHYL-PROPANOL	6.9 mg/m³
4719-04-4	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	2.3 mg/m ³
7757-82-6	sodium sulphate	9.8 mg/m ³
1310-73-2	sodium hydroxide	0.5 mg/m ³
91-20-3	naphthalene	15 ppm
91-22-5	quinoline	0.003 ppm
50-00-0	formaldehyde	0.90 ppm
75-21-8	ethylene oxide	5 ppm
75-56-9	propylene oxide	73 ppm
123-91-1	1,4-dioxane	17 ppm
· PAC-2:		
9003-11-6	AMINO-METHYL-PROPANOL	76 mg/m³
4719-04-4	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	25 mg/m ³
7757-82-6	sodium sulphate	110 mg/m ³
1310-73-2	sodium hydroxide	5 mg/m³
	-	(Contd. on page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 11/17/2022

CHR

Reviewed on 11/17/2022

Trade name: AQUABLAK 7600

91-20-3 naphthalene	(Contd. of page 83 ppm
91-22-5 quinoline	2.9 ppm
50-00-0 formaldehyde	14 ppm
75-21-8 ethylene oxide	45 ppm
75-56-9 propylene oxide	290 ppm
123-91-1 1,4-dioxane	320 ppm
PAC-3:	
9003-11-6 AMINO-METHYL-PROPANOL	460 mg/m
4719-04-4 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	150 mg/m
7757-82-6 sodium sulphate	650 mg/m
1310-73-2 sodium hydroxide	50 mg/m ³
91-20-3 naphthalene	500 ppm
91-22-5 quinoline	17 ppm
50-00-0 formaldehyde	56 ppm
75-21-8 ethylene oxide	200 ppm
75-56-9 propylene oxide	870 ppm
123-91-1 1,4-dioxane	760 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

In accordance with good industrial practices, handle with care and avoid personal contact.

Containers should be triple rinsed according to federal regulations and/or good waste management practices.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

Keep containers closed when not in use.

- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- **Components with limit values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 5)

⁻US

Safety Data Sheet acc. to OSHA HCS

Printing date 11/17/2022

Reviewed on 11/17/2022

Trade name: AQUABLAK 7600

(Contd. of page 4)

- Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- · Breathing equipment:

Use proper ventilation. In case of poor ventilation use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. If exposure to dust is likely, a NIOSH approved dust respirator is recommended.

Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Always wear safety glasses.



Tightly sealed goggles

· Body protection:

Light weight protective clothing

Wear apron, coveralls, boots and long sleve shirt to prevent skin contact.

• Limitation and supervision of exposure into the environment Eyewash fountains should be easily accessible. Shower after handling this product.

Workclothes should be washed before reuse.

Before eating, drinking or smoking, wash hands and face with soap and water.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:
 - Form:LiquidColor:Black

(Contd. on page 6)

⁻US

Printing date 11/17/2022

Reviewed on 11/17/2022

Trade name: AQUABLAK 7600

	(Contd. of pag
Odor:	Light
Odor threshold:	Not determined.
pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	>140 °C (>284 °F)
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not determined.
Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	0.0 %
Water:	62.3 %
VOC Content:	0.0 g/l / 0.00 lb/gal
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.

(Contd. on page 7)

Page 6/11

Printing date 11/17/2022

Reviewed on 11/17/2022

Trade name: AQUABLAK 7600

(Contd. of page 6)

2B

- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: Burning will produce oxides of carbon, nitrogen and sulfur.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- · on the skin: May be irritant.
- · on the eye: Irritating effect.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Irritant
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- Carbon Black, non activated, mineral origin
- NTP (National Toxicology Program)
- None of the ingredients is listed.
- · OSHA-Ca (Occupational Safety & Health Administration)
- None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · **Bioaccumulative potential** No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:
- Disposal must be made according to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 11/17/2022

Reviewed on 11/17/2022

Trade name: AQUABLAK 7600

(Contd. of page 7)

· Uncleaned packagings:

Containers should be triple rinsed according to Federal Regulations and/or good waste management practice.

Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, IMDG, IATA	not regulated
UN proper shipping name DOT, IMDG, IATA	not regulated
Transport hazard class(es)	
DOT, ADN, IMDG, IATA	
Class	not regulated
Packing group	
DOT, IMDG, IATA	not regulated
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex	x II of
MARPOL73/78 and the IBC Code	Not applicable.

15 Regulatory information

 $^{\rm \cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\rm \cdot}$ Sara

· Section 355 (extremely hazardous substances):				
None of the ingredients is listed.				
· Section 3	313 (Specific toxic chemical listings):			
None of t	he ingredients is listed.			
· TSCA (To	oxic Substances Control Act):			
All compo	onents have the value ACTIVE.			
· Hazardou	us Air Pollutants			
91-20-3	naphthalene			
91-22-5	quinoline			
50-00-0	formaldehyde			
75-21-8	ethylene oxide			
75-56-9	propylene oxide			
123-91-1	1,4-dioxane			
	(Contd. on page 9)			
	US			

Safety Data Sheet acc. to OSHA HCS

Printing date 11/17/2022

Reviewed on 11/17/2022

Trade name: AQUABLAK 7600

· Propositio	n 65	(Contd. of page
-	known to cause cancer:	
91-20-3 I	naphthalene	
91-22-5	•	
	ormaldehyde	
	ethylene oxide	
	propylene oxide	
	I,4-dioxane	
· Chemicals	known to cause reproductive toxicity for females:	
	hylene oxide	
· Chemicals	known to cause reproductive toxicity for males:	
75-21-8 et	hylene oxide	
	known to cause developmental toxicity:	
75-21-8 et	hylene oxide	
	y Right-to-Know List:	
	sodium hydroxide	
	naphthalene	
	quinoline	
128-37-0	Butylated hydroxytoluene	
50-00-0	formaldehyde	
	ethylene oxide	
	propylene oxide	
123-91-1	1,4-dioxane	
· Carcinoge	nic categories	
· EPA (Envi	ronmental Protection Agency)	
None of the	e ingredients is listed.	
· TLV (Thre	shold Limit Value)	
Carbon Bla	ck, non activated, mineral origin	A
· NIOSH-Ca	(National Institute for Occupational Safety and Health)	· · · · · · · · · · · · · · · · · · ·
Carbon Bla	ick, non activated, mineral origin	
	Domestic Substances List (DSL)	
7732-18-5	MS-BL-WATER	
	Carbon Black, non activated, mineral origin	
9003-11-6	AMINO-METHYL-PROPANOL	
	naphthalenesulfonic acid condensate sodium salt	
4719-04-4	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	
7757-82-6	sodium sulphate	
	Distillates (petroleum), hydrotreated heavy paraffinic	
1310-73-2	sodium hydroxide	
2634-33-5	1,2-benzisothiazol-3(2H)-one	
		(Contd. on page 2

Safety Data Sheet acc. to OSHA HCS

Printing date 11/17/2022

Reviewed on 11/17/2022

Trade name: AQUABLAK 7600

(Contd. of page 9)

91-20-3 naphthalene 128-37-0 Butylated hydroxytoluene

50-00-0 formaldehyde

75-21-8 ethylene oxide

123-91-1 1,4-dioxane

· Canadian Non-Domestic Substances List (NDSL)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Warning

• **Hazard-determining components of labeling:** 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol

Hazard statements

Causes eye irritation. May cause an allergic skin reaction.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

· Other regulations, limitations and prohibitive regulations

CA prop 65

This product contains a chemical(s) known to the state of California to cause cancer and/or birth defects or other reproductive harm. Pursuant to the California Safe Drinking Water and Toxic Enforcement Act of 1986 we are required to provide the above warning in the absence of definitive testing showing risks from long-term exposure to chemicals present in our formulations do not exist. To the best of our knowledge, this product complies with all Federal and Sate laws and regulations governing its manufacturing, distribution and intended use.

State - Right to know

None of the ingredients is listed.

(Contd. on page 11)

⁻ US

Safety Data Sheet acc. to OSHA HCS

Printing date 11/17/2022

Reviewed on 11/17/2022

Trade name: AQUABLAK 7600

(Contd. of page 10)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Disclaimer:

We believe all the information and data given is accurate as of the date of preparation and is offered in good faith.

This information is given without warranty or representation solely for your consideration, investigation and verification. Since conditions of use is beyond our control, we expressly disclaim all liability for the use or handling of this product.

- · Department issuing SDS: Environment protection department.
- · Contact: Carlo Benedetti
- Date of preparation / last revision 11/17/2022

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA: Occupational Safety & Health** TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Eye Irritation 2B: Serious eye damage/eye irritation - Category 2B

Sensitization - Skin 1: Skin sensitisation - Category 1