Safety Data Sheet acc. to OSHA HCS

Printing date 11/14/2022

Reviewed on 11/14/2022

1 Identification

- · Product identifier
- Trade name: AQUABLAK 8384
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Chromascape 7555 E Pleasant Valley Rd Independence, OH 44131
- Information department: phone 888.421.0010 email healthsafety@chromascape.com
 Emergency telephone number:
- Call Chemtrec tel: 1 800 424 9300 Outside the United States call 703 527 3887

2 Hazard(s) identification

Classification of the substance or mixture



Skin Irritation 2 H315 Causes skin irritation.

- · Label elements
- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard statements
- Causes skin irritation.
- Precautionary statements
 Wash thoroughly after handling.
 Wear protective gloves.
 If on skin: Wash with plenty of water.
 Specific treatment (see on this label).
 If skin irritation occurs: Get medical advice/attention.
- Take off contaminated clothing and wash it before reuse.
- · Classification system:
- NFPA ratings (scale 0 4)



Health = 1 Fire = 0 Reactivity = 0

(Contd. on page 2)

[–] US

Printing date 11/14/2022

Reviewed on 11/14/2022

Trade name: AQUABLAK 8384

(Contd. of page 1)

Page 2/10

· HMIS-ratings (scale 0 - 4)

HEALTH 1 H FIRE 0 F REACTIVITY 0 R

Health = 1
 Fire = 0
 Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
	ORGANIC PIGMENT	25-50%
127087-87-0	4-Nonylphenol, branched, ethoxylated	≥2.5-<10%
	Emulsifier	≤2.5%
	Emulsifier	≤2.5%
	2-methyl-2H-isothiazol-3-one	≥0.1-<0.25%
26172-55-4	5-chloro-2-methyl-2H-isothiazol-3-one	≥0.1-<0.25%
55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247- 500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	≥0.0025-<0.025%

4 First-aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- \cdot Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

US

Safety Data Sheet acc. to OSHA HCS

Reviewed on 11/14/2022

Printing date 11/14/2022

Trade name: AQUABLAK 8384

(Contd. of page 2)

Advice for firefighters

Protective equipment:

Should be equipped with self contained breathing apparatus and protective clothing.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Wear appropriate safety equipment. Environmental precautions: No special measures required. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust Wear appropriate safety equipment. Contain and clean up spill immediately. Prevent from entering floor drains. Sweep powders carefully minimizing dusting. Shovel all spill materials into disposal drums and follow disposal instructions. Scrub spill area with detergent and flush with copious amount of water. Reference to other sections See Section 7 for information on safe handling. See Section 13 for disposal information. Protective Action Criteria for Chemicals 	t).	
PAC-1: 127087-87-0 4-Nonylphenol, branched, ethoxylated	30 mg/m ³	
	5 ppm	
	0.6 mg/m ³	
• PAC-2:	0.0 mg/m	
	330 mg/m ³	
	35 ppm	
	6.6 mg/m ³	
· PAC-3:		
127087-87-0 4-Nonylphenol, branched, ethoxylated 2,0	000 mg/m³	
64-19-7 Acetic acid 25	50 ppm	
26172-55-4 5-chloro-2-methyl-2H-isothiazol-3-one 40) mg/m³	

7 Handling and storage

· Handling:

· Precautions for safe handling

In accordance with good industrial practices, handle with care and avoid personal contact. Containers should be triple rinsed according to federal regulations and/or good waste management practices.

· Information about protection against explosions and fires: No special measures required.

• Conditions for safe storage, including any incompatibilities Keep containers closed when not in use.

(Contd. on page 4)

US

acc. to OSHA HCS

Printing date 11/14/2022

Reviewed on 11/14/2022

Trade name: AQUABLAK 8384

(Contd. of page 3)

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin.
- Breathing equipment:
- If exposure to dust is likely, a NIOSH approved dust respirator is recommended. **Protection of hands:**



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection: Always wear safety glasses.
- Body protection:
- Light weight protective clothing

Wear apron, coveralls, boots and long sleve shirt to prevent skin contact.

Limitation and supervision of exposure into the environment
 Eyewash fountains should be easily accessible.
 Shower after handling this product.
 Workclothes should be washed before reuse.
 Before eating, drinking or smoking, wash hands and face with soap and water.

(Contd. on page 5)

115

Printing date 11/14/2022

Reviewed on 11/14/2022

Trade name: AQUABLAK 8384

(Contd. of page 4)

Information on basic physical and General Information	chemical properties
Appearance:	
Form:	Liquid
Color:	Black
Odor:	Light
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	>140 °C (>284 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with Water:	Not missible or difficult to mix
	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity:	
Dynamic: Kinematio	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	0.7 %
Water:	58.4 %
VOC Content:	6.6 g/l / 0.05 lb/gal
Other information	No further relevant information available.

(Contd. on page 6)

Printing date 11/14/2022

Reviewed on 11/14/2022

Trade name: AQUABLAK 8384

(Contd. of page 5)

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · **Incompatible materials:** No further relevant information available.
- · Hazardous decomposition products: Burning will produce oxides of carbon, nitrogen and sulfur.

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: May be irritant.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Carbon Black, non activated, mineral origin

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)

2B

[—] us

Printing date 11/14/2022

Reviewed on 11/14/2022

Trade name: AQUABLAK 8384

(Contd. of page 6)

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Disposal must be made according to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Containers should be triple rinsed according to Federal Regulations and/or good waste management practice.

• **Recommendation:** Disposal must be made according to official regulations.

· UN-Number		
· DOT, IMDG, IATA	not regulated	
[.] UN proper shipping name		
· DOT, IMDG, IATA	not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA		
· Class	not regulated	
· Packing group		
· DOT, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex	x II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	not regulated	

15 Regulatory information

 $^{\cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

127087-87-0 4-Nonylphenol, branched, ethoxylated

(Contd. on page 8)

Printing date 11/14/2022

CHR

Reviewed on 11/14/2022

Trade name: AQUABLAK 8384

	•	td. of page
•	Substances Control Act):	
7732-18-5	MS-BL-WATER	ACTIV
	Carbon Black, non activated, mineral origin	ACTIV
127087-87-0	4-Nonylphenol, branched, ethoxylated	ACTIV
	Emulsifier	ACTIV
	Emulsifier	ACTIV
	Acrylic copolymer	ACTIV
64-19-7	Acetic acid	ACTIV
	Distillates (petroleum), hydrotreated heavy naphthenic	ACTIV
	2-methyl-2H-isothiazol-3-one	ACTIV
26172-55-4	5-chloro-2-methyl-2H-isothiazol-3-one	ACTIV
60676-86-0	Silica, fused	ACTIV
	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	*
110-30-5	N,N'-ethylenedi(stearamide)	ACTIV
· Hazardous A	sir Pollutants	
None of the ir	ngredients is listed.	
· Proposition	65	
· Chemicals k	nown to cause cancer:	
None of the ir	ngredients is listed.	
	nown to cause reproductive toxicity for females:	
	ngredients is listed.	
· Chemicals k	nown to cause reproductive toxicity for males:	
	ngredients is listed.	
· Chemicals k	nown to cause developmental toxicity:	
None of the ir	ngredients is listed.	
· New Jersey	Right-to-Know List:	
	Acetic acid	
60676-86-0	Silica, fused	
· Carcinogeni		
	nmental Protection Agency)	
None of the ir	ngredients is listed.	
· TLV (Thresh	old Limit Value)	
Carbon Black	a, non activated, mineral origin	A
· NIOSH-Ca (N	lational Institute for Occupational Safety and Health)	
Carbon Black	a, non activated, mineral origin	
· Canadian Do	omestic Substances List (DSL)	
7732-18-5	M3-BL-WATER	
7732-18-5	Carbon Black, non activated, mineral origin 4-Nonylphenol, branched, ethoxylated	

Printing date 11/14/2022

CHR

Reviewed on 11/14/2022

Trade name: AQUABLAK 8384

	(Contd. of page 8)
	Emulsifier
	Emulsifier
64-19-7	Acetic acid
64742-52-5	Distillates (petroleum), hydrotreated heavy naphthenic
2682-20-4	2-methyl-2H-isothiazol-3-one
26172-55-4	5-chloro-2-methyl-2H-isothiazol-3-one
60676-86-0	Silica, fused
55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)
110-30-5	N,N'-ethylenedi(stearamide)
· Canadian No	on-Domestic Substances List (NDSL)
None of the ir	ngredients is listed.
Wash thoroug Wear protecti If on skin: Wa Specific treat If skin irritatio	Warning ments irritation. ry statements ghly after handling.
· National reg	-
CA prop 65 This product	tions, limitations and prohibitive regulations contains a chemical(s) known to the state of California to cause cancer and/or birth ther reproductive harm. Pursuant to the California Safe Drinking Water and Toxic

This product contains a chemical(s) known to the state of California to cause cancer and/or birth defects or other reproductive harm. Pursuant to the California Safe Drinking Water and Toxic Enforcement Act of 1986 we are required to provide the above warning in the absence of definitive testing showing risks from long-term exposure to chemicals present in our formulations do not exist. To the best of our knowledge, this product complies with all Federal and Sate laws and regulations governing its manufacturing, distribution and intended use.

State - Right to know

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 10)

us

Printing date 11/14/2022

Reviewed on 11/14/2022

Trade name: AQUABLAK 8384

(Contd. of page 9)

16 Other information Disclaimer: We believe all the information and data given is accurate as of the date of preparation and is offered in good faith. This information is given without warranty or representation solely for your consideration, investigation and verification. Since conditions of use is beyond our control, we expressly disclaim all liability for the use or handling of this product. · Department issuing SDS: Environment protection department. · Contact: Carlo Benedetti · Date of preparation / last revision 11/14/2022 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irritation 2: Skin corrosion/irritation - Category 2 US