

**Innotech Interior Floor Strip**

SDS Number:

Revision Date: 5/09/12

Page 1 of 5

**1 PRODUCT AND COMPANY IDENTIFICATION**

**Manufacturer**

ChromaScape  
 2055 Enterprise Pkwy  
 Twinsburg, OH 44087

**Phone:** 877-829-7880  
**Web:** www.chromascape.com

**Phone:** Chemtrec:1-800-424-9300

**Product Identifier:** Innotech Interior Floor Strip  
**Revision Date:** 5/09/12  
**Version:** 1.0  
**CAS Number:** Mixture  
**Chemical Family:** Floor polish stripper  
**Product Use:** Industrial and commercial use floor stripper

**2 HAZARDS IDENTIFICATION**

**Classification of the Substance or Mixture**

**GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):**

Health, Acute toxicity, 5 Oral  
 Health, Acute toxicity, 5 Inhalation  
 Health, Skin corrosion/irritation, 1 A

**GHS Label Elements, Including Precautionary Statements**

**GHS Signal Word:** **DANGER**

**GHS Hazard Pictograms:**



**GHS Hazard Statements:**

H303 - May be harmful if swallowed  
 H333 - May be harmful if inhaled  
 H314 - Causes severe skin burns and eye damage

**GHS Precautionary Statements:**

P332 - If skin irritation occurs: Remove contaminated clothing, rinse skin with water for several minutes, seek medical attention if skin irritation persists, wash clothing before re-use.  
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
 P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

**3 COMPOSITION/INFORMATION OF INGREDIENTS**

**4 FIRST AID MEASURES**

**Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if you feel unwell.

**Skin Contact:** Wash with soap and water. If irritation occurs and persists, get medical attention.

**Innotech Interior Floor Strip**

SDS Number:

Revision Date: 5/09/12

Page 2 of 5

**Eye Contact:** Rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get medical attention.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Get medical attention if you feel unwell.

**5 FIRE FIGHTING MEASURES**

**Flash Point:** Not Applicable

**Flash Point Method:** NA

**Autoignition Temp:** NA

**LEL:** NA

**Fire Extinguishing media:** Use dry chemical, carbon dioxide or water spray. For larger fires use regular foam, dry chemical, carbon dioxide or water spray. Move containers away from fire area if it can be done without risk. From a safe distance and keeping upwind, apply flooding amounts of water to sides of container exposed to fire for cooling purposes until well after the fire is extinguished. Stay away from tanks engulfed in flames. (Emergency Response Guidebook Guide #154)

**Hazards during fire-fighting:**

Containers may rupture when exposed to extreme heat.

**Protective equipment for fire-fighting:**

Wear NFPA-approved self-contained breathing apparatus, helmet, hood, boots and gloves.

**6 ACCIDENTAL RELEASE MEASURES**

**Personal precautions:**

Use recommended personal protective clothing and equipment. To prevent slipping, do not walk through spilled material.

**Environmental precautions:**

Follow all Federal, State and Local regulations when storing and disposing of substances. Do not allow material to run off of work area, and material should be absorbed, collected and disposed of in accordance with regulations. Keep product from entering storm drains. Consult local and federal guidelines for proper disposal of these materials.

**Cleanup:**

*For small amounts of released material:* Mop or vacuum up then transfer to suitable container for disposal. - *For large amounts or released material:* Dike around spilled material with absorbent to contain. Spilled material may be mopped or vacuumed up, then transferred to plastic containers for disposal.

**7 HANDLING AND STORAGE**

**Handling Precautions:** General advice - No specific measures are necessary provided product and recommended protective clothing/equipment are used correctly. Do not mix with other chemicals. This is a commercial product, not intended for home use. Keep out of reach of children.

**Storage Requirements:** General advice - Protect against physical damage. Store in tightly closed containers in a cool, well ventilated area. Do not allow product to freeze.

Shelf Life:  
12 months

**8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Engineering Controls:** Advice on system design:  
Provide local exhaust ventilation to control vapors for published exposure limits.

**Innotech Interior Floor Strip**

SDS Number:

Revision Date: 5/09/12

Page 3 of 5

**Personal Protective Equipment:**

Personal protective equipment (HMIS rating 'H'):

Eye protection: Wear splash-proof safety goggles to prevent exposure.  
 Skin protection: Chemical-resistant gloves and chemical-resistant, high traction footwear. Wear appropriate protective (impervious) clothing equipment to prevent possible skin contact.  
 Respiratory protection:  
 Use proper NIOSH-OSHA respirator for contamination levels found in work area or if ventilation is inadequate.  
 General safety and hygiene measures:  
 Exercise stringent hygiene practices to minimize exposure.  
 If contact occurs, wash any body part with soap and water immediately. Wash hands after use, and before eating, drinking or smoking.  
 Other protective measures:  
 Nearby running water on the job site is necessary, should an accident occur.

ACGIH TLV: 20 ppm (111-76-2), 3 ppm (141-43-5) and 2 mg/m<sup>3</sup> (1310-58-3)  
 STEL: 6 ppm (141-43-5)  
 OSHA PEL: 50 ppm- Skin (111-76-2), 3 ppm (141-43-5) and 2 mg/m<sup>3</sup> (1310-58-3)

**9 PHYSICAL AND CHEMICAL PROPERTIES**

**Physical State:** Solid

Appearance: Clear colorless Liquid  
 Odor: Citrus  
 pH value: 14.0 (Concentrate) 12.5 ± 0.2 (1:10 dilution)  
 Specific gravity: 1.02 (H<sub>2</sub>O = 1)  
 Solidification temperature: No information available  
 Freezing/Melting point: 32 °F (0 °C)  
 Boiling point: 212°F (100 °C)  
 Vapor density: No information available  
 Vapor pressure: No information available  
 Evaporation Rate: No information available  
 Flash Point: > 200°F  
 Upper/Lower Flammability Limits: No information available  
 Relative Density (water): 1.02  
 Auto-Ignition Temperature: No information available  
 Decomposition temperature: No information available  
 Partition Coefficient: No information available  
 Odor Threshold: No information available  
 Viscosity: < 10 cps.  
 Partition Coefficient: No information available  
 Solubility in water: 100%  
 Regulatory VOC: 29.6% by weight (concentrate) 2.7 % by weight (at routine use concentration - 1:10 dilution)

**10 STABILITY AND REACTIVITY**

**Chemical Stability:** Product is chemically stable.  
**Conditions to Avoid:** Excessive heat or flame.  
**Materials to Avoid:** Strong acids, oxidizers (e.g., bleach).  
 Reaction with strong acids may generate high heat.  
**Hazardous Decomposition:** In fire conditions: carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>) nitric oxides (NO<sub>x</sub>) and ammonia.  
 Corrosion to metals: Concentrate may be slightly corrosive to aluminum, copper and copper alloys.  
**Hazardous Polymerization:** None

**11 TOXICOLOGICAL INFORMATION**

**Acute Toxicity (Symptoms):**

**Ingestion:** May be harmful if swallowed. Burns of the mouth, throat, esophagus and stomach. Pain, nausea, vomiting and diarrhea.  
**Eye Contact:** Can cause serious eye damage. Severe irritation, conjunctivitis, redness. Contact may cause permanent eye

**Innotech Interior Floor Strip**

SDS Number:

Revision Date: 5/09/12

Page 4 of 5

damage.

**Skin Contact:** Can cause severe skin damage. Irritation, inflammation, ulceration, necrosis and possible chemical burns.

**Inhalation:** May be harmful if inhaled. May cause respiratory irritation including nasal and throat discomfort.

**Numerical Measures of Toxicity:**

Calculated Acute Toxicity Estimates (ATE) based on available information.

ATEmix (oral): 2245 mg/kg

**Chronic Toxicity:**

**Other information:** No components present at 0.1% or greater are considered carcinogens by ACGIH, IARC, NTP or OSHA.

**12 ECOLOGICAL INFORMATION**

**Biodegradation:**

Test method: Unspecified

Analysis method: Unspecified

Degree of elimination: Expected to be biodegradable.

**Environmental toxicity:**

Acute and prolonged toxicity to fish: Not Established

Toxicity to microorganisms: Not Established

Other ecotoxicological advice: Not Established

**13 DISPOSAL CONSIDERATIONS**

Waste disposal of substance: Dispose of in accordance with all Federal, State and Local regulations when storing and disposing of substances. It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA (EPA regulations for hazardous waste).

Container disposal: Dispose of in a licensed facility in accordance with local regulations.

RCRA:

Unspecified.

**14 TRANSPORT INFORMATION**

1760

**DOT:**

**UN/ID No:** 1760

**Proper Shipping Name:** CORROSIVE LIQUID, N.O.S., (CONTAINS ETHANOLAMINE, POTASSIUM HYDROXIDE)

**Hazard Class:** 8

**Packing Group:** III

**15 REGULATORY INFORMATION**

**Federal Regulations:**

**Registration status:**

TSCA, US:

All components are listed or exempt.

**SARA hazard category (EPCRA 311/312):** Acute health hazard

**Innotech Interior Floor Strip**

SDS Number:

Revision Date: 5/09/12

Page 5 of 5

**SARA TITLE III, SECTION 313:**

CAS Number: 111-76-2      Chemical Name: 2-Butoxyethanol

**State Regulations:**

Chemicals known to the State of California to cause cancer, birth defects or other reproductive harm

CAS Number: 111-42-2      Chemical Name: Diethanolamine (May contain trace levels)

**NFPA Rating:**

Health: 3      Fire: 0      Reactivity: 0      Special Hazard: none

**HMIS III Rating:**

Health: 3      Flammability: 0      Physical Hazard: 0  
 Personal Protection: H (safety glasses with side shields and chemical-resistant gloves)

*Both NFPA and HMIS III rating systems use a numbering scale that ranges from 0 to 4 to indicate the degree of hazard. A value of zero means the substance possesses no hazard while a value of four indicates high hazard.*

<b>16</b>	<b>OTHER INFORMATION</b>
-----------	--------------------------

The information on this SDS is provided in good faith in the interest of product safety and believed to be accurate to the best of our knowledge. However, ChromaScape makes no guarantee and assumes no liability for the data contained. Users should conduct their own research regarding suitability for their purposes. Nothing contained in this SDS should be misconstrued as permission to violate any regulation. End users should follow all local, state, national and international regulations as apply.

Revision Date: 5/09/12