Safety Data Sheet acc. to OSHA HCS

Printing date 11/09/2022

Reviewed on 11/09/2022

1 Identification

- · Product identifier
- · Trade name: AQUABLAK 50T
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Chromascape 7555 E Pleasant Valley Rd Independence, OH 44131
- Information department: phone 888.421.0010 email healthsafety@chromascape.com
 Emergency telephone number:
- Call Chemtrec tel: 1 800 424 9300 Outside the United States call 703 527 3887

2 Hazard(s) identification

Classification of the substance or mixture



Skin Irritation 2 H315 Causes skin irritation.

- · Label elements
- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard statements
- Causes skin irritation.
- Precautionary statements
 Wash thoroughly after handling.
 Wear protective gloves.
 If on skin: Wash with plenty of water.
 Specific treatment (see on this label).
 If skin irritation occurs: Get medical advice/attention.
- Take off contaminated clothing and wash it before reuse.
- · Classification system:
- NFPA ratings (scale 0 4)



Health = 1 Fire = 0 Reactivity = 0

(Contd. on page 2)

[–] US

Printing date 11/09/2022

Reviewed on 11/09/2022

Trade name: AQUABLAK 50T

(Contd. of page 1)

· HMIS-ratings (scale 0 - 4)

HEALTH1FIRE0REACTIVITY0

Health = 1
Fire = 0
Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

	ORGANIC PIGMENT	25-50%	
4719-04-4	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	≥0.1-<1%	

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment:

Should be equipped with self contained breathing apparatus and protective clothing.

6 Accidental release measures

• **Personal precautions, protective equipment and emergency procedures** Wear appropriate safety equipment.

(Contd. on page 3)

US

Page 2/10

Safety Data Sheet acc. to OSHA HCS

Reviewed on 11/09/2022

Printing date 11/09/2022

Trade name:	AQUABLA	K 50T
-------------	---------	-------

		(Contd. of page 2)
	ental precautions: No special measures required. and material for containment and cleaning up:	
	h liquid-binding material (sand, diatomite, acid binders, universal binders, sa	awdust)
	opriate safety equipment.	awaasij.
Contain an	d clean up spill immediately.	
	m entering floor drains.	
	vders carefully minimizing dusting.	
	spill materials into disposal drums and follow disposal instructions. area with detergent and flush with copious amount of water.	
	to other sections	
See Sectio	n 7 for information on safe handling.	
	n 8 for information on personal protection equipment.	
	n 13 for disposal information. Action Criteria for Chemicals	
· PAC-1:		
	sodium sulphate	9.8 mg/m ³
	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	2.3 mg/m ³
1310-73-2	sodium hydroxide	0.5 mg/m ³
91-20-3	naphthalene	15 ppm
91-22-5	quinoline	0.003 ppm
50-00-0	formaldehyde	0.90 ppm
· PAC-2:		
7757-82-6	sodium sulphate	110 mg/m ³
	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	25 mg/m ³
	sodium hydroxide	5 mg/m³
	naphthalene	83 ppm
	quinoline	2.9 ppm
50-00-0	formaldehyde	14 ppm
· PAC-3:		
7757-82-6	sodium sulphate	650 mg/m ³
	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	150 mg/m ³
	sodium hydroxide	50 mg/m ³
	naphthalene	500 ppm
	quinoline	17 ppm
50-00-0	formaldehyde	56 ppm

7 Handling and storage

· Handling:

· Precautions for safe handling

In accordance with good industrial practices, handle with care and avoid personal contact. Containers should be triple rinsed according to federal regulations and/or good waste management practices.

· Information about protection against explosions and fires: No special measures required.

(Contd. on page 4)

US

Safety Data Sheet acc. to OSHA HCS

Printing date 11/09/2022

Reviewed on 11/09/2022

Trade name: AQUABLAK 50T

(Contd. of page 3)

• Conditions for safe storage, including any incompatibilities Keep containers closed when not in use.

Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin.
- Breathing equipment:
- If exposure to dust is likely, a NIOSH approved dust respirator is recommended.
- Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection: Always wear safety glasses.
- Body protection:
- · Light weight protective clothing
- Wear apron, coveralls, boots and long sleve shirt to prevent skin contact.
- Limitation and supervision of exposure into the environment Eyewash fountains should be easily accessible. Shower after handling this product.

Workclothes should be washed before reuse.

(Contd. on page 5)

US

Before eating, drinking or smoking, wash hands and face with soap and water.

Printing date 11/09/2022

Reviewed on 11/09/2022

Trade name: AQUABLAK 50T

(Contd. of page 4)

General Information Liquid Appearance: Form: Liquid Form: Liquid Color: Black Odor Light Odor threshold: Not determined. pH-value: Not determined. Change in condition Metting point/Boiling range: Undetermined. Boiling point/Boiling range: 100 °C (212 °F) Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density: Not determined. Relative density Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density: Not determined. Relative density Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) <th>Information on basic physical and</th> <th>chemical properties</th>	Information on basic physical and	chemical properties
Appearance:LiquidForm:LiquidColor:BlackOdor:LightOdor threshold:Not determined.pH-value:Not determined.Change in conditionImage:Metting point/Metting range:Undetermined.Boiling point/Boiling range:100 °C (212 °F)Flash point:Not applicable.Flash point:Not applicable.Pecomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product is not selfigniting.Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density:Not determined.Vapor densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Not determined.Vapor serse:Not determined.Solubility in / Miscibility with Water:Not determined.Viscosity:Dynamic:Dynamic:Not determined.Solvent content: Organic solvents:0.0 %		
Color:BlackOdor:LightOdor threshold:Not determined.pH-value:Not determined.Change in conditionImage:Melting point/Melting range:Undetermined.Boiling point/Boiling range:100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Pecomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Lower:Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density:Not determined.Solubility in / Miscibility with Water:Not determined.Solubility in / Miscibility with Water:Not determined.Viscosity:Dynamic:Not determined.Solvent content: Organic solvents:0.0 %	Appearance:	
Odor:Light Not determined.Odor threshold:Not determined.pH-value:Not determined.Change in condition Melting point/Melting range:Undetermined.Boiling point/Melting range:100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density:Not determined.Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Not miscible or difficult to mix.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Organic solvents:0.0 %		
Odor threshold:Not determined.pH-value:Not determined.Change in condition Melting point/Melting range:Undetermined.Boiling point/Molling range:100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Pecomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower: Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density: Relative densityNot determined.Vapor density Vapor densityNot determined.Solubility in / Miscibility with Water:Not miscible or difficult to mix.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Organic solvents:0.0 %		
pH-value:Not determined.Change in condition Melting point/Melting range:Undetermined. 100 °C (212 °F)Flash point:Not applicable.Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density: Relative densityNot determined.Vapor density vapor densityNot determined.Solubility in / Miscibility with Water:Not miscible or difficult to mix.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Organic solvents:Not %		
Change in condition Melting point/Melting range:Undetermined. 100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Lower:Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density:Not determined.Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Not miscible or difficult to mix.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic:Dynamic:Not determined.Solvent content: Organic solvents:0.0 %		
Meting point/Melting range:Undetermined. 100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Vot determined.Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density:Not determined.Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Not determined.Viscosity:Not determined.Dynamic:Not determined.Solvent content: Organic solvents:Not determined.Solvent content: Organic solvents:Not determined.	-	
Boiling point/Boiling range:100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Vot determined.Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density:Not determined.Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Not miscible or difficult to mix.Partition coefficient (n-octanol/water): Not determined.Not determined.Viscosity:Not determined.Dynamic:Not determined.Solvent content: Organic solvents:0.0 %		Undetermined.
Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density: Not determined. Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Not determined. Viscosity: Dynamic: Not determined. Solvent content: Not determined. Solvent content: 0.0 %		100 °C (212 °F)
Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density: Not determined. Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Solvent content: O.0 %	Flash point:	Not applicable.
Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density: Not determined. Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Not determined. Viscosity: Dynamic: Not determined. Solvent content: Organic solvents: 0.0 %	Flammability (solid, gaseous):	Not applicable.
Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Lower: Not determined. Upper: Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density: Not determined. Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Not determined. Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Solvent content: O.0 %	Decomposition temperature:	Not determined.
Explosion limits: Not determined. Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density: Not determined. Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: 0.0 %	Auto igniting:	Product is not selfigniting.
Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density:Not determined.Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Not miscible or difficult to mix.Partition coefficient (n-octanol/water):Not determined.Viscosity:Not determined.Dynamic:Not determined.Solvent content: Organic solvents:0.0 %	Danger of explosion:	Product does not present an explosion hazard.
Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density:Not determined.Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Not miscible or difficult to mix.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Organic solvents:0.0 %	Explosion limits:	
Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density:Not determined.Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Not miscible or difficult to mix.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Organic solvents:0.0 %		
Density: Not determined. Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Dynamic: Not determined. Kinematic: Not determined. Solvent content: 0.0 %	Upper:	Not determined.
Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. Solvent content: 0.0 %	Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Not miscible or difficult to mix.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Organic solvents:0.0 %	Density:	
Evaporation rate Not determined. Solubility in / Miscibility with Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Not determined. Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. Solvent content: 0.0 %		
Solubility in / Miscibility with Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: 0.0 %		
Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Not determined. Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. Solvent content: 0.0 %	· ·	Not determined.
Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: 0.0 %		Not missible or difficult to mix
Viscosity: Dynamic: Not determined. Mot determined. Not determined. Solvent content: 0.0 %		
Dynamic: Not determined. Kinematic: Not determined. Solvent content: 0.0 %	•	
Kinematic: Not determined. Solvent content: 0.0 %		Not determined
Solvent content: Organic solvents: 0.0 %		
Organic solvents: 0.0 %		
		0.0 %
	Water:	49.8 %

Safety Data Sheet acc. to OSHA HCS

Printing date 11/09/2022

Reviewed on 11/09/2022

Trade name: AQUABLAK 50T

(Contd. of page 5)

· Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · **Incompatible materials:** No further relevant information available.
- · Hazardous decomposition products: Burning will produce oxides of carbon, nitrogen and sulfur.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

- Oral LD50 <2,000 mg/kg (rat)
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: May be irritant.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Carbon Black, non activated, mineral origin

• NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 7)

2B

Safety Data Sheet acc. to OSHA HCS

Printing date 11/09/2022

Reviewed on 11/09/2022

Trade name: AQUABLAK 50T

(Contd. of page 6)

· Additional ecological information:

- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Disposal must be made according to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

Containers should be triple rinsed according to Federal Regulations and/or good waste management practice.

• Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	not regulated	
	not regulated	
UN proper shipping name DOT, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
DOT, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Anne	x ll of	
MARPOL73/78 and the IBC Code	Not applicable.	
UN "Model Regulation":	not regulated	

(Contd. on page 8)

US

Safety Data Sheet acc. to OSHA HCS

Printing date 11/09/2022

CHR MASCAPE

Reviewed on 11/09/2022

Trade name: AQUABLAK 50T

(Contd. of page 7)

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

 Section 355 (extremely h 	nazardous substances):
--	------------------------

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• **TSCA (Toxic Substances Control Act):** All components have the value ACTIVE.

· Hazardous Air Pollutants

91-20-3 naphthalene

91-22-5 guinoline

50-00-0 formaldehyde

· Proposition 65

· Chemicals known to cause cancer:

91-20-3 naphthalene

91-22-5 quinoline

50-00-0 formaldehyde

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

• New Jersey Right-to-Know List:

1310-73-2sodium hydroxide91-20-3naphthalene

91-22-5 quinoline 50-00-0 formaldehyde

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

Carbon Black, non activated, mineral origin

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Carbon Black, non activated, mineral origin

· Canadian Domestic Substances List (DSL)

7732-18-5 MS-BL-WATER

Carbon Black, non activated, mineral origin

(Contd. on page 9)

A4

⁻ US

Safety Data Sheet acc. to OSHA HCS

Printing date 11/09/2022

Reviewed on 11/09/2022

Trade name: AQUABLAK 50T

(Contd. of page 8)

	naphthalenesulfonic acid condensate sodium salt
	sodium sulphate
	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol
	sodium hydroxide
	1,2-benzisothiazol-3(2H)-one
	naphthalene
50-00-0	formaldehyde
Canadian	Non-Domestic Substances List (NDSL)
None of th	e ingredients is listed.
Hazard pie	ctograms
Caucae ek	
Precaution Wash thor Wear prote If on skin: Specific tre If skin irrita	in irritation. nary statements bughly after handling. ective gloves. Wash with plenty of water. eatment (see on this label). tion occurs: Get medical advice/attention. ontaminated clothing and wash it before reuse.
Precaution Wash thor Wear prote If on skin: ' Specific tre If skin irrita Take off co	hary statements bughly after handling. ective gloves. Wash with plenty of water. eatment (see on this label). tion occurs: Get medical advice/attention.
Precaution Wash thor Wear prote If on skin: Specific tre If skin irrita Take off co National r Other regu CA prop 65 This produce defects of Enforcement testing shot the best of	hary statements bughly after handling. ective gloves. Wash with plenty of water. eatment (see on this label). tion occurs: Get medical advice/attention. ontaminated clothing and wash it before reuse. egulations: alations, limitations and prohibitive regulations for the contains a chemical(s) known to the state of California to cause cancer and/or birth other reproductive harm. Pursuant to the California Safe Drinking Water and Toxic ent Act of 1986 we are required to provide the above warning in the absence of definitive wing risks from long-term exposure to chemicals present in our formulations do not exist. To
Precaution Wash thor Wear prote If on skin: Specific tre If skin irrita Take off co National r Other regu CA prop 68 This produ defects on Enforcement testing sho the best of governing	hary statements bughly after handling. ective gloves. Wash with plenty of water. eatment (see on this label). tion occurs: Get medical advice/attention. ontaminated clothing and wash it before reuse. egulations: ulations, limitations and prohibitive regulations out contains a chemical(s) known to the state of California to cause cancer and/or birth other reproductive harm. Pursuant to the California Safe Drinking Water and Toxic ent Act of 1986 we are required to provide the above warning in the absence of definitive wing risks from long-term exposure to chemicals present in our formulations do not exist. To f our knowledge, this product complies with all Federal and Sate laws and regulations
Precaution Wash thor Wear prote If on skin: ' Specific tre If skin irrita Take off co National r Other regu CA prop 65 This produ defects of Enforcement testing shot the best co governing State - Rig	hary statements bughly after handling. ective gloves. Wash with plenty of water. watment (see on this label). tion occurs: Get medical advice/attention. ontaminated clothing and wash it before reuse. egulations: allations, limitations and prohibitive regulations for the contains a chemical(s) known to the state of California to cause cancer and/or birth other reproductive harm. Pursuant to the California Safe Drinking Water and Toxic ent Act of 1986 we are required to provide the above warning in the absence of definitive wing risks from long-term exposure to chemicals present in our formulations do not exist. To f our knowledge, this product complies with all Federal and Sate laws and regulations its manufacturing, distribution and intended use.

16 Other information

Disclaimer:

We believe all the information and data given is accurate as of the date of preparation and is offered in good faith.

This information is given without warranty or representation solely for your consideration, investigation and verification. Since conditions of use is beyond our control, we expressly disclaim all liability for the (Contd. on page 10)

Safety Data Sheet acc. to OSHA HCS

Printing date 11/09/2022

Reviewed on 11/09/2022

Trade name: AQUABLAK 50T

	(Contd. of page 9)
use or handling of this product.	
· Department issuing SDS: Environment protection department.	
Contact: Carlo Benedetti	
· Date of preparation / last revision 11/09/2022	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit REL: Recommended Exposure Limit	
Skin Irritation 2: Skin corrosion/irritation – Category 2	
	US