CHR

Safety Data Sheet acc. to OSHA HCS

Printing date 11/14/2022

Reviewed on 11/14/2022

1 Identification

- · Product identifier
- · Trade name: AQUABLAK 116B
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Chromascape 7555 E Pleasant Valley Rd Independence, OH 44131
- Information department: phone 888.421.0010 email healthsafety@chromascape.com
 Emergency telephone number:
- Call Chemtrec tel: 1 800 424 9300 Outside the United States call 703 527 3887

2 Hazard(s) identification

Classification of the substance or mixture



Skin Irritation 2 H315 Causes skin irritation.

- · Label elements
- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard statements
- Causes skin irritation.
- Precautionary statements
 Wash thoroughly after handling.
 Wear protective gloves.
 If on skin: Wash with plenty of water.
 Specific treatment (see on this label).
 If skin irritation occurs: Get medical advice/attention.
- Take off contaminated clothing and wash it before reuse.
- · Classification system:
- NFPA ratings (scale 0 4)



Health = 1 Fire = 0 Reactivity = 0

(Contd. on page 2)

[–] US



Printing date 11/14/2022

Reviewed on 11/14/2022

Trade name: AQUABLAK 116B

(Contd. of page 1)

· HMIS-ratings (scale 0 - 4)

HEALTH FIRE 0 REACTIVITY 0

1 Health = 1 Fire = 0Reactivity = 0

Other hazards

Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dange	rous cor	nponents:
---------	----------	-----------

	ORGANIC PIGMENT	25-50%
67-63-0	isopropyl alcohol	≤2.5%
4719-04-4	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	≥0.1-<1%

4 First-aid measures

- Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment:

Should be equipped with self contained breathing apparatus and protective clothing.

(Contd. on page 3)

Printing date 11/14/2022

CHR

Reviewed on 11/14/2022

Trade name: AQUABLAK 116B

(Contd. of page 2)

Accident	tal release measures	
· Personal p	precautions, protective equipment and emergency procedures	
	opriate safety equipment.	
	ental precautions: Do not allow to enter sewers/ surface or ground water.	
	nd material for containment and cleaning up:	4)
	n liquid-binding material (sand, diatomite, acid binders, universal binders, sawdu opriate safety equipment.	ist).
	d clean up spill immediately.	
	m entering floor drains.	
Sweep pov	vders carefully minimizing dusting.	
	spill materials into disposal drums and follow disposal instructions.	
	area with detergent and flush with copious amount of water. to other sections	
	n 7 for information on safe handling.	
	n 8 for information on personal protection equipment.	
See Sectio	n 13 for disposal information.	
• Protective	Action Criteria for Chemicals	
· PAC-1:		
	AMINO-METHYL-PROPANOL	6.9 mg/m
	isopropyl alcohol	400 ppm
	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	2.3 mg/m
1310-73-2	sodium hydroxide	0.5 mg/m
75-21-8	ethylene oxide	5 ppm
	propylene oxide	73 ppm
123-91-1	1,4-dioxane	17 ppm
PAC-2:		
9003-11-6	AMINO-METHYL-PROPANOL	76 mg/m ³
67-63-0	isopropyl alcohol	2000* ppn
4719-04-4	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	25 mg/m ³
1310-73-2	sodium hydroxide	5 mg/m ³
75-21-8	ethylene oxide	45 ppm
75-56-9	propylene oxide	290 ppm
123-91-1	1,4-dioxane	320 ppm
PAC-3:		·
9003-11-6	AMINO-METHYL-PROPANOL	160 mg/m ³
67-63-0	isopropyl alcohol	12000** ppn
		150 mg/m ³
	sodium hydroxide 5	50 mg/m ³
1310-73-2		
	ethylene oxide 2	200 ppm
75-21-8	•	200 ppm 370 ppm

(Contd. on page 4)

US

Printing date 11/14/2022

Reviewed on 11/14/2022

Trade name: AQUABLAK 116B

(Contd. of page 3)

7 Handling and storage

- · Handling:
- · Precautions for safe handling

In accordance with good industrial practices, handle with care and avoid personal contact. Containers should be triple rinsed according to federal regulations and/or good waste management practices.

- · Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
- Keep containers closed when not in use.
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

67-63-0 isopropyl alcohol

- PEL Long-term value: 980 mg/m³, 400 ppm
- REL Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
- TLV Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4

· Ingredients with biological limit values:

67-63-0 isopropyl alcohol

BEI 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the skin.
- Avoid contact with the eyes and skin.

(Contd. on page 5)

US

CHR

Safety Data Sheet acc. to OSHA HCS

Printing date 11/14/2022

· Auto igniting:

Reviewed on 11/14/2022

Trade name: AQUABLAK 116B

(Contd. of page 4) · Breathing equipment: If exposure to dust is likely, a NIOSH approved dust respirator is recommended. · Protection of hands: Protective gloves Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of guality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: Always wear safety glasses. Body protection: · Light weight protective clothing Wear apron, coveralls, boots and long sleve shirt to prevent skin contact. · Limitation and supervision of exposure into the environment Eyewash fountains should be easily accessible. Shower after handling this product. Workclothes should be washed before reuse. Before eating, drinking or smoking, wash hands and face with soap and water. 9 Physical and chemical properties Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Color: Black · Odor: Light · Odor threshold: Not determined. Not determined. · pH-value: · Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined. · Flash point: Not applicable. · Flammability (solid, gaseous): Not applicable. · Decomposition temperature: Not determined.

• **Danger of explosion:** Product does not present an explosion hazard.

Product is not selfigniting.

(Contd. on page 6)

US -



Printing date 11/14/2022

Reviewed on 11/14/2022

Trade name: AQUABLAK 116B

		(Contd. of page
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not determined.	
· Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/v	vater): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	1.5 %	
Water:	57.8 %	
VOC Content:	15.0 g/l / 0.13 lb/gal	
• Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Burning will produce oxides of carbon, nitrogen and sulfur.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: May be irritant.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

(Contd. on page 7)

US ·



Printing date 11/14/2022

Reviewed on 11/14/2022

Trade name: AQUABLAK 116B

(Contd. of page 6)

2B

3

Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Carbon Black, non activated, mineral origin

67-63-0 isopropyl alcohol

NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• Recommendation:

Disposal must be made according to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

Containers should be triple rinsed according to Federal Regulations and/or good waste management practice.

• **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number

· DOT, IMDG, IATA

not regulated

(Contd. on page 8)

⁻US



Printing date 11/14/2022

Reviewed on 11/14/2022

Trade name: AQUABLAK 116B

		(Contd. of page
 UN proper shipping name DOT, IMDG, IATA 	not regulated	
· Transport hazard class(es)		
[·] DOT, ADN, IMDG, IATA [·] Class	not regulated	
· Packing group · DOT, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	t II of Not applicable.	
· UN "Model Regulation":	not regulated	

15 Regulatory information

 $^{\cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ Sara

Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
67-63-0 isopropyl alcohol	
TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
Hazardous Air Pollutants	
75-21-8 ethylene oxide	
75-56-9 propylene oxide	
123-91-1 1,4-dioxane	
Proposition 65	
Chemicals known to cause cancer:	
75-21-8 ethylene oxide	
75-56-9 propylene oxide	
123-91-1 1,4-dioxane	
Chemicals known to cause reproductive toxicity for females:	
75-21-8 ethylene oxide	
Chemicals known to cause reproductive toxicity for males:	
75-21-8 ethylene oxide	
Chemicals known to cause developmental toxicity:	
75-21-8 ethylene oxide	
1	(Contd. on pa

Printing date 11/14/2022

CHR

Reviewed on 11/14/2022

Trade name: AQUABLAK 116B

	· ·	d. of page
	ey Right-to-Know List:	
	isopropyl alcohol	
	sodium hydroxide	
	Butylated hydroxytoluene	
	ethylene oxide	
	propylene oxide	
123-91-1	1,4-dioxane	
Carcinog	enic categories	
•	ronmental Protection Agency)	
None of th	e ingredients is listed.	
•	shold Limit Value)	
	arbon Black, non activated, mineral origin	A
67-63-0 is	opropyl alcohol	A
NIOSH-Ca	(National Institute for Occupational Safety and Health)	
Carbon Bl	ack, non activated, mineral origin	
Canadian	Domestic Substances List (DSL)	
7732-18-5	MS-BL-WATER	
	Carbon Black, non activated, mineral origin	
9003-11-6	AMINO-METHYL-PROPANOL	
67-63-0	isopropyl alcohol	
4719-04-4	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	
	sodium hydroxide	
1310-73-2	1,2-benzisothiazol-3(2H)-one	
1310-73-2 2634-33-5	1,2-benzisothiazol-3(2H)-one Butylated hydroxytoluene	
1310-73-2 2634-33-5 128-37-0		
1310-73-2 2634-33-5 128-37-0 75-21-8	Butylated hydroxytoluene	
1310-73-2 2634-33-5 128-37-0 75-21-8 123-91-1 Canadian	Butylated hydroxytoluene ethylene oxide	

Hazard pictograms



· Signal word Warning

- · Hazard statements
- Causes skin irritation.
- **Precautionary statements** Wash thoroughly after handling.
- Wear protective gloves.
- If on skin: Wash with plenty of water.

(Contd. on page 10)

CHR

Safety Data Sheet acc. to OSHA HCS

Printing date 11/14/2022

Reviewed on 11/14/2022

Trade name: AQUABLAK 116B

(Contd. of page 9)

Specific treatment (see on this label). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

• National regulations:

• Other regulations, limitations and prohibitive regulations CA prop 65

This product contains a chemical(s) known to the state of California to cause cancer and/or birth defects or other reproductive harm. Pursuant to the California Safe Drinking Water and Toxic Enforcement Act of 1986 we are required to provide the above warning in the absence of definitive testing showing risks from long-term exposure to chemicals present in our formulations do not exist. To the best of our knowledge, this product complies with all Federal and Sate laws and regulations governing its manufacturing, distribution and intended use.

[·] State - Right to know

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Disclaimer:

We believe all the information and data given is accurate as of the date of preparation and is offered in good faith.

This information is given without warranty or representation solely for your consideration, investigation and verification. Since conditions of use is beyond our control, we expressly disclaim all liability for the use or handling of this product.

- · Department issuing SDS: Environment protection department.
- Contact: Carlo Benedetti
- Date of preparation / last revision 11/14/2022

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Skin Irritation 2: Skin corrosion/irritation - Category 2

- US