Safety Data Sheet acc. to OSHA HCS

Printing date 11/09/2022

Reviewed on 10/27/2022

1 Identification

- · Product identifier
- Trade name: AQUABLAK 5101
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Chromascape 7555 E Pleasant Valley Rd Independence, OH 44131
- Information department: phone 888.421.0010 email healthsafety@chromascape.com
 Emergency telephone number:
- Call Chemtrec tel: 1 800 424 9300 Outside the United States call 703 527 3887

2 Hazard(s) identification

Classification of the substance or mixture



Skin Irritation 2 H315 Causes skin irritation.

- · Label elements
- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard statements
- Causes skin irritation.
- Precautionary statements
 Wash thoroughly after handling.
 Wear protective gloves.
 If on skin: Wash with plenty of water.
 Specific treatment (see on this label).
 If skin irritation occurs: Get medical advice/attention.
- Take off contaminated clothing and wash it before reuse.
- · Classification system:
- NFPA ratings (scale 0 4)



Health = 1Fire = 0Reactivity = 0

(Contd. on page 2)

[–] US

Printing date 11/09/2022

Reviewed on 10/27/2022

Trade name: AQUABLAK 5101

(Contd. of page 1)

· HMIS-ratings (scale 0 - 4)

HEALTH 1 FIRE 0 F REACTIVITY 0 F

Health = 1
Fire = 0
Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

	ORGANIC PIGMENT	25-50%	
4719-04-4	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	≥0.1-<1%	

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment:

Should be equipped with self contained breathing apparatus and protective clothing.

6 Accidental release measures

• **Personal precautions, protective equipment and emergency procedures** Wear appropriate safety equipment.

(Contd. on page 3)

US

Page 2/11



Reviewed on 10/27/2022

Printing date 11/09/2022
Trade name: AQUABLAK 5101

9003-11-6 AMINO-METHYL-PROPANOL 6.9 mg/m³ 4719-04-4 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol 2.3 mg/m³ 7757-82-6 sodium sulphate 9.8 mg/m³ 1310-73-2 sodium hydroxide 0.5 mg/m³ 1336-21-6 AMMONIUM HYDROXIDE 28% 61 ppm 98-83-9 2-phenylpropene 100 ppm 91-22-5 quinoline 0.003 ppm 91-22-5 quinoline 0.90 ppm 50-00-0 formaldehyde 0.90 ppm 50-00-0 formaldehyde 0.90 ppm 75-56-9 propylene oxide 73 ppm 123-91-1 1,4-dioxane 17 ppm PAC-2: 76 mg/m³ 9003-11-6 AMINO-METHYL-PROPANOL 76 mg/m³ 7757-82-6 sodium sulphate 110 mg/m 1316-21-6 AMMONIUM HYDROXIDE 28% 330 ppm 914-20-3 sodium hydroxide 5 mg/m³ 1336-21-6 AMMONIUM HYDROXIDE 28% 330 ppm 91-20-3 naphthalene 83 ppm 9	F		(Contd. of page
Absorb with liquid-binding material (sand, diatomite, acīd binders, universal binders, sawdust). Wear appropriate safety equipment. Contain and clean up spill immediately. Prevent from entering floor drains. Sweep powders carefully minimizing dusting. Shovel all spill materials into disposal drums and follow disposal instructions. Scrub spill area with detergent and flush with copious amount of water. Reference to other sections See Section 7 for information on personal protection equipment. See Section 7 for information on safe handling. See Section 7 for information on personal protection equipment. See Section 7 for information on personal protection equipment. See Section 7 for information on safe handling. PAC-1: 9003-11-6 AMINO-METHYL-PROPANOL 6.9 mg/m 719-04-4 2.2; 2"(hexahydro-1,3,5-trizizne-1,3,5-triyl)triethanol 2.3 mg/m 7310-73-2 sodium sulphate 9.8 mg/m 1310-73-2 sodium sulphate 0.5 mg/m 1310-73-2 sodium hydroxide 0.5 mg/m 1310-73-2 sodium hydroxide 0.5 mg/m 91-20-3 naphthalene 15 ppm 91-22-5 quinoline 0.003 ppm 91-22-5 quinoline 0.003 ppm 90-00-0 formaidehyde 0.90 ppm 75-21-8 ethylene oxide 5 ppm 75-52-8 propylene oxide 5 ppm 75-52-9 propylene oxide 5 ppm 75-52-8 oodium sulphate 100 mg/m 1310-73-2 sodium hydroxide 10 mg/m 1310-73-2 sodium hydroxide 100 mg/m 1310-73-2 sodium hydroxide 5 mg/m ³ 1310-73-2 sodium hydroxide 100 mg/m 1310-73-2 sodium hydroxide 130 ppm 91-22-5 quinoline 2.9 ppm 91-22-5 qui			
Wear appropriate safety equipment. Contain and clean up spill immediately. Prevent from entering floor drains. Sweep powders carefully minimizing dusting. Shovel all spill materials into disposal drums and follow disposal instructions. Scrub spill area with detergent and flush with copious amount of water. Reference to other sections See Section 7 for information on personal protection equipment. See Section 13 for disposal information. Prot-1: 9003-11-6 AMINO-METHYL-PROPANOL 6.9 mg/m 4719-04-4 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol 2.3 mg/m 775-782-6 sodium sulphate 9.8 mg/m 1310-73-2 sodium sulphate 9.8 mg/m 1310-73-2 sodium sulphate 0.5 mg/m 1316-21-6 AMMONIUM HYDROXIDE 28% 61 ppm 91-22-5 quinoline 0.003 ppr 130-62-16 AMMONIUM HYDROXIDE 28% 61 ppm 91-22-5 quinoline 0.90 ppm 75-21-8 ethylene oxide 5 ppm 75-25-9 propylene oxide 5 ppm 123-91-1 1,4-dioxane 17 ppm			vduct)
Contain and clean up spill immediately. Prevent from entering floor drains. Sweep powders carefully minimizing dusting. Shovel all spill materials into disposal drums and follow disposal instructions. Scrub spill area with detergent and flush with copius amount of water. Reference to other sections See Section 7 for information on personal protection equipment. See Section 7 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: 9003-11-6 AMINO-METHYL-PROPANOL 6.9 mg/m 757-82-6 sodium sulphate 9.8 mg/m 1310-73-2 sodium hydroxide 0.5 mg/m 1316-21-6 AMMONIUM HYDROXIDE 28% 61 ppm 91-20-3 naphthalene 15 ppm 91-22-5 quinoline 0.003 ppr 100-42-5 styrene 20 ppm 75-21-8 ethylene oxide 73 ppm 75-56-9 propylene oxide 73 ppm 75-56-9 propylene oxide 73 ppm 725-82-6 sodium sulphate 100 ppm 91-22-3 malchtylatene 17 ppm PAC-2: 9003-11-6 AMINO-METHYL-PROPANOL 76 mg/m ² 719-044 2,2',2''' (hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol 2.9 ppm 75-21-8 ethylene oxide 73 ppm 75-21-8 ethylene oxide 73 ppm 75-21-6 AMINO-METHYL-PROPANOL 76 mg/m ² 719-044 2,2',2''' (hexahydro-1,3,5-triz)triethanol 25 mg/m ³ 719-22-5 quinoline 20 ppm 75-21-8 ethylene oxide 5 ppm 710-42-5 styrene 20 ppm 710-42-5 styrene 20 ppm 75-56-9 propylene oxide 73 ppm 71310-73-2 sodium hydroxide 25 mg/m ³ 71336-21-6 AMINO-METHYL-PROPANOL 76 mg/m ³ 7157-82-6 sodium sulphate 110 mg/m 71310-73-2 sodium hydroxide 830 ppm 91-20-3 naphthalene 830 ppm 91-20-3 naphthalene 830 ppm 91-20-3 naphthalene 830 ppm 91-22-5 quinoline 2.9 ppm 100-42-5 styrene 300 ppm 91-20-3 naphthalene 45 ppm 75-51-8 ethylene oxide 45 ppm 75-51-9 propylene oxide 45 ppm 75-51-9 propylene oxide 45 ppm 75-51-9 propylene oxide 45 ppm			vuusi).
Prevent from entering floor drains. Sweep powders carefully minimizing dusting. Shovel all spill materials into disposal drums and follow disposal instructions. Scrub spill area with detergent and flush with copious amount of water. Reference to other sections See Section 7 for information on personal protection equipment. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: 9003-11-6 AMINO-METHYL-PROPANOL 6.9 mg/m 715-78-2-6 sodium sulphate 9.8 mg/m 1310-73-2 sodium sulphate 0.5 mg/m 1336-21-6 AMMONIUM HYDROXIDE 28% 61 ppm 98-83-9 2-phenylpropene 100 ppm 91-22-5 quinoline 0.003 ppr 100-42-5 styrene 20 ppm 75-58-9 propylene oxide 5 ppm 757-82-6 sodium hydroxide 0.90 ppm 123-91-1 1,4-dioxane 17 ppm PAC-2: 9003-11-6 AMINO-METHYL-PROPANOL 76 mg/m³ 7130-73-2 sodium hydroxide 25 mg/m³ 7130-73-2 sodium hydroxide 25 mg/m³ 7130-74-2 2,2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol 25 mg/m³ 7130-74-2 3,2", flexahydro-1,3,5-triazine-1,3,5-triyl)triethanol 25 mg/m³ 1336-21-6 AMMONIUM HYDROXIDE 28% 30 ppm 75-51-8 ethylene oxide 75 ppm 7419-04-4 2,2;2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol 25 mg/m³ 7130-72-18 ethylene oxide 55 ppm 7419-04-4 2,2;2"-(hexahydro-1,3,5-triyl)triethanol 25 mg/m³ 7130-72-18 ethylene oxide 50 ppm 91-22-5 quinoline 20 ppm 91-22-5 quinoline 20 ppm 91-22-5 quinoline 20 ppm 91-22-5 quinoline 29 ppm 9			
Shovel all spill materials into disposal drums and follow disposal instructions. Scrub spill area with detergent and flush with copious amount of water. Reference to other sections See Section 7 for information on safe handling. See Section 13 for disposal information. PAC-1: View Action Criteria for Chemicals PAC-1: 9003-11-6 AMINO-METHYL-PROPANOL 6.9 mg/m 4719-04-4 2,2',2''- (hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol 2.3 mg/m 7757-82-6 sodium sulphate 9.8 mg/m 1310-73-2 sodium sulphate 0.5 mg/m 98-83-9 2-phenylpropene 100 ppm 98-83-9 2-phenylpropene 0.003 ppr 91-20-3 naphthalene 15 ppm 91-22-5 quinoline 0.003 ppr 90-42-5 styrene 20 ppm 5-52-9 propylene oxide 5 ppm 7-52-18 ethylene oxide 5 ppm 719-044 2,2',2''- (hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol 25 mg/m ³ 7179-044 2,2',2''- (hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol 25 mg/m ³ 7179-044 2,2',2''- (hexahydro	Prevent fro	m entering floor drains.	
Scrub spill area with detergent and flush with copious amount of water. Reference to other sections See Section 7 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: 9003-11-6 AMINO-METHYL-PROPANOL 6.9 mg/m 4719-04-4 2.2,2". ('hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol 2.3 mg/m 7175-782-6 sodium sulphate 9.8 mg/m 1310-73-2 sodium hydroxide 0.5 mg/m 1310-73-2 sodium hydroxide 0.5 mg/m 1310-73-2 sodium hydroxide 0.003 ppr 98-83-3 2-phenylpropene 100 ppm 91-20-3 naphthalene 100 ppm 91-22-5 quinoline 0.003 ppr 91-22-5 quinoline 0.90 ppm 91-22-5 quinoline 0.90 ppm 91-22-5 quinoline 0.90 ppm 91-22-5 quinoline 0.90 ppm 91-22-5 quinoline 10 ppm 91-22-5 quinoline 20 ppm 9003-11-6 AMINO-METHYL-PROPANOL 76 mg/m ³			
Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protect/ve Action Criteria for ChemicalsPAC-1:9003-11-6AMINO-METHYL-PROPANOL6.9 mg/m4719-04-42.2'.2'' (hexahydro-1,3.5-triazine-1,3.5-triyl)triethanol2.3 mg/m775-82-6sodium sulphate9.8 mg/m1310-73-2sodium sulphate9.8 mg/m1310-73-2sodium sulphate0.5 mg/m1310-73-2sodium sulphate0.003 ppm98-83-92-phenylpropene100 ppm91-22-5quinoline0.003 ppm91-22-5styrene20 ppm50-00-0formaldehyde0.90 ppm75-51-8ethylene oxide5 ppm75-56-9propylene oxide73 ppm775-78-6sodium sulphate110 mg/m903-11-6AMINO-METHYL-PROPANOL76 mg/m ³ 717-78-26sodium sulphate110 mg/m917-22-5sodium sulphate110 mg/m917-23-1anthhalene830 ppm917-24AMINO-METHYL-PROPANOL76 mg/m ³ 717-78-26sodium sulphate110 mg/m910-225styrene330 ppm912-23naphthalene330 ppm912-24AMINO-METHYL-PROPANOL76 mg/m910-24-25styrene330 ppm912-25styrene130 ppm912-25styrene130 ppm912-25styrene130 ppm912-25<			
See Section 8 for information on personal protection equipment. See Section 13 for disposal information. PAC-1: 9003-11-6 AMINO-METHYL-PROPANOL 6.9 mg/m 4719-04-4 2,2,2" (hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol 2,3 mg/m 7757-82-6 sodium sulphate 9.8 mg/m 1310-73-2 sodium sulphate 9.8 mg/m 1310-73-2 sodium sulphate 0.5 mg/m 1336-21-6 AMMONIUM HYDROXIDE 28% 61 ppm 98-83-9 2-phenylpropene 100 ppm 91-20-3 naphthalene 15 ppm 91-22-5 quinoline 0.003 ppr 100-42-5 styrene 20 ppm 50-00-0 formaldehyde 0.90 ppm 75-51-8 ethylene oxide 5 ppm 75-56-9 propylene oxide 73 ppm 123-91-1 1.4-dioxane 17 ppm PAC-2: 9003-11-6 AMINO-METHYL-PROPANOL 76 mg/m³ 715-65-8 propylene oxide 5 mg/m³ 1336-21-6 7757-82-6 sodium sulphate 110 mg/m			
See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: 9003-11-6 9003-11-6 9003-11-7 9003-11-8 9003-11-8 9003-11-8 9003-11-9 9014 2,2,2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol 9,8 mg/m 1310-73-2 sodium sulphate 9,8 mg/m 1336-21-6 AMMONIUM HYDROXIDE 28% 98-83-9 9-phenylpropene 100 ppm 91-22-5 quinoline 0.003 ppr 10-24-5 styrene 0.90 ppm 50-00-0 formaldehyde 0.90 ppm 75-56-9 propylene oxide 73 ppm 123-91-1 1,4-dioxane 17 ppm PAC-1: 9003-11-6 AMINO-METHYL-PROPANOL 76 mg/m ³ 1310-73-2 sodium hydroxide			
Protective Action Criteria for Chemicals PAC-1: 9003-11-6 AMINO-METHYL-PROPANOL 6.9 mg/m 4719-04-4 2,2',2'''(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol 2.3 mg/m 757-82-6 sodium sulphate 9.8 mg/m 1310-73-2 sodium hydroxide 0.5 mg/m 1336-21-6 AMMONIUM HYDROXIDE 28% 61 ppm 98-83-9 2-phenylpropene 100 ppm 91-22-3 naphthalene 15 ppm 91-22-5 quinoline 0.003 ppr 100-42-5 styrene 20 ppm 50-00-0 formaldehyde 0.90 ppm 75-21-8 ethylene oxide 5 ppm 75-56-9 propylene oxide 73 ppm 723-91-1 1,4-dioxane 17 ppm PAC-2: 9003-11-6 MINO-METHYL-PROPANOL 76 mg/m³ 7175-82-6 sodium sulphate 110 mg/m 1310-73-2 sodium sulphate 110 mg/m 1310-73-2 sodium hydroxide 5 mg/m³ 1326-21-6 AMMONIUM HYDROXIDE 28% 330 ppm<			
PAC-1: 9003-11-6 AMINO-METHYL-PROPANOL 6.9 mg/m 4719-04-4 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol 2.3 mg/m 7757-82-6 sodium sulphate 9.8 mg/m 1310-73-2 sodium hydroxide 0.5 mg/m 1336-21-6 AMMONIUM HYDROXIDE 28% 61 ppm 98-83-9 2-phenylpropene 100 ppm 91-20-3 naphthalene 15 ppm 91-22-5 quinoline 0.003 ppr 91-22-5 quinoline 0.90 ppm 90-00-0 formaldehyde 0.90 ppm 75-51-8 ethylene oxide 5 ppm 75-56-9 propylene oxide 17 ppm PAC-2: 73 ppm 903-11-6 AMINO-METHYL-PROPANOL 76 mg/m³ 903-11-6 AMINO-METHYL-PROPANOL 76 mg/m³ 9136-22-6 sodium sulphate 110 mg/r 1310-73-2 sodium hydroxide 5 mg/m³ 1336-21-6 AMMONIUM HYDROXIDE 28% 330 ppm 91-20-3 naphthalene 83 ppm <t< td=""><td></td><td></td><td></td></t<>			
9003-11-6 AMINO-METHYL-PROPANOL 6.9 mg/m 4719-04-4 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol 2.3 mg/m 7757-82-6 sodium sulphate 9.8 mg/m 1310-73-2 sodium hydroxide 0.5 mg/m 1336-21-6 AMMONIUM HYDROXIDE 28% 61 ppm 98-83-9 2-phenylpropene 100 ppm 91-20-3 naphthalene 15 ppm 91-22-5 quinoline 0.003 ppr 91-22-5 quinoline 0.90 ppm 50-00-0 formaldehyde 0.90 ppm 75-56-9 propylene oxide 5 ppm 75-56-9 propylene oxide 73 ppm 123-91-1 1,4-dioxane 17 ppm PAC-2: 76 mg/m³ 9003-11-6 AMINO-METHYL-PROPANOL 76 mg/m³ 4719-04-4 2,2',2''-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol 25 mg/m³ 7757-82-6 sodium sulphate 110 mg/m 1336-21-6 AMMONIUM HYDROXIDE 28% 330 ppm 91-20-3 napththalene 83 ppm </td <td>· PAC-1:</td> <td></td> <td></td>	· PAC-1:		
4719-04-4 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol 2.3 mg/m 7757-82-6 sodium sulphate 9.8 mg/m 1310-73-2 sodium hydroxide 0.5 mg/m 1336-21-6 AMMONIUM HYDROXIDE 28% 61 ppm 98-83-9 2-phenylpropene 100 ppm 91-22-5 quinoline 0.003 ppr 91-22-5 quinoline 0.003 ppr 100-42-5 styrene 20 ppm 50-00-0 formaldehyde 0.90 ppm 75-56-9 propylene oxide 73 ppm 723-91-1 1,4-dioxane 17 ppm PAC-2: 9003-11-6 AMINO-METHYL-PROPANOL 76 mg/m ³ 775-782-6 sodium sulphate 110 mg/m 710-04-4 2,2',2'' (hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol 25 mg/m ³ 775-782-6 sodium sulphate 110 mg/m 710-73-2 sodium sulphate 5 mg/m ³ 130-73-2 sodium hydroxide 5 mg/m ³ 1336-21-6 AMMONIUM HYDROXIDE 28% 330 ppm 91-20-3 naphthalene 83 ppm 91-22-5 quino	9003-11-6	AMINO-METHYL-PROPANOL	6.9 mg/m
7757-82-6 sodium sulphate 9.8 mg/m 1310-73-2 sodium hydroxide 0.5 mg/m 1336-21-6 AMMONIUM HYDROXIDE 28% 61 ppm 98-83-9 2-phenylpropene 100 ppm 91-20-3 naphthalene 15 ppm 91-22-5 quinoline 0.003 ppr 100-42-5 styrene 20 ppm 50-00-0 formaldehyde 0.90 ppm 75-56-9 propylene oxide 73 ppm 123-91-1 1,4-dioxane 17 ppm PAC-2: 9003-11-6 AMINO-METHYL-PROPANOL 76 mg/m ³ 7757-82-6 sodium sulphate 110 mg/m 1310-73-2 sodium sulphate 110 mg/m 1310-73-2 sodium sulphate 5 mg/m ³ 1336-21-6 AMMONIUM HYDROXIDE 28% 330 ppm 98-83-9 2-phenylpropene 830 ppm 91-22-5 quinoline 2.9 ppm 100-42-5 styrene 130 oppm 91-22-5 quinoline 2.9 ppm 100-42-5 styrene 130 oppm 91-22-5 quinoline 2.9 ppm <	4719-04-4	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	-
1310-73-2 sodium hydroxide 0.5 mg/m 1336-21-6 AMMONIUM HYDROXIDE 28% 61 ppm 98-83-9 2-phenylpropene 100 ppm 91-20-3 naphthalene 15 ppm 91-22-5 quinoline 0.003 ppr 100-42-5 styrene 20 ppm 50-00-0 formaldehyde 0.90 ppm 75-56-9 propylene oxide 5 ppm 75-56-9 propylene oxide 73 ppm 123-91-1 1,4-dioxane 17 ppm PAC-2: 9003-11-6 AMINO-METHYL-PROPANOL 76 mg/m³ 7757-82-6 sodium sulphate 110 mg/m³ 1310-73-2 sodium sulphate 110 mg/m³ 1336-21-6 AMMONIUM HYDROXIDE 28% 330 ppm 98-83-9 2-phenylpropene 830 ppm 91-20-3 naphthalene 33 ppm 91-22-5 quinoline 29 ppm 100-42-5 styrene 130 ppm 91-20-3 naphthalene 83 ppm 91-20-3 naphthalene 32 ppm <td></td> <td></td> <td>-</td>			-
98-83-9 2-phenylpropene 100 ppm 91-20-3 naphthalene 15 ppm 91-22-5 quinoline 0.003 ppm 100-42-5 styrene 20 ppm 50-00-0 formaldehyde 0.90 ppm 50-00-0 formaldehyde 0.90 ppm 75-21-8 ethylene oxide 5 ppm 75-56-9 propylene oxide 73 ppm 123-91-1 1,4-dioxane 17 ppm PAC-2: 9003-11-6 AMINO-METHYL-PROPANOL 76 mg/m³ 9757-82-6 sodium sulphate 110 mg/m 1316-73-2 sodium sulphate 110 mg/m 1316-73-2 sodium hydroxide 5 mg/m³ 1336-21-6 AMMONIUM HYDROXIDE 28% 330 ppm 98-83-9 2-phenylpropene 830 ppm 91-22-5 quinoline 2.9 ppm 100-42-5 styrene 130 ppm 100-42-5 styrene 320 ppm 100-42-5 styrene 320 ppm 100-42-5 styrene 320 ppm	1310-73-2	sodium hydroxide	-
98-83-9 2-phenylpropene 100 ppm 91-20-3 naphthalene 15 ppm 91-22-5 quinoline 0.003 ppm 100-42-5 styrene 20 ppm 50-00-0 formaldehyde 0.90 ppm 75-21-8 ethylene oxide 5 ppm 75-56-9 propylene oxide 73 ppm 123-91-1 1,4-dioxane 17 ppm PAC-2: 9003-11-6 AMINO-METHYL-PROPANOL 76 mg/m³ 903-11-6 AMINO-METHYL-PROPANOL 76 mg/m³ 775-782-6 sodium sulphate 110 mg/m 1316-21-5 sodium sulphate 110 mg/m 1336-21-6 AMMONIUM HYDROXIDE 28% 330 ppm 91-22-5 quinoline 2.9 ppm 100-42-5 styrene 130 ppm 91-22-5 quinoline 2.9 ppm 100-42-5 styrene 130 ppm 91-22-5 quinoline 2.9 ppm 100-42-5 styrene 130 ppm 91-22-5 quinoline 2.9 ppm <td< td=""><td>1336-21-6</td><td>AMMONIUM HYDROXIDE 28%</td><td>61 ppm</td></td<>	1336-21-6	AMMONIUM HYDROXIDE 28%	61 ppm
91-22-5 quinoline 0.003 ppr 100-42-5 styrene 20 ppm 50-00-0 formaldehyde 0.90 ppm 75-21-8 ethylene oxide 5 ppm 75-56-9 propylene oxide 73 ppm 123-91-1 1,4-dioxane 17 ppm PAC-2: 9003-11-6 AMINO-METHYL-PROPANOL 76 mg/m³ 9003-11-6 AMINO-METHYL-PROPANOL 76 mg/m³ 4719-04-4 2,2',2''-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol 25 mg/m³ 7757-82-6 sodium sulphate 110 mg/m 1310-73-2 sodium hydroxide 5 mg/m³ 1336-21-6 AMMONIUM HYDROXIDE 28% 330 ppm 91-20-3 naphthalene 83 ppm 91-22-5 quinoline 2.9 ppm 100-42-5 styrene 130 ppm 50-00-0 formaldehyde 14 ppm 75-56-9 propylene oxide 45 ppm 75-56-9 propylene oxide 320 ppm 123-91-1 1,4-dioxane 320 ppm	98-83-9	2-phenylpropene	
100-42-5 styrene 20 ppm 50-00-0 formaldehyde 0.90 ppm 75-21-8 ethylene oxide 5 ppm 75-56-9 propylene oxide 73 ppm 123-91-1 1,4-dioxane 17 ppm PAC-2: 9003-11-6 AMINO-METHYL-PROPANOL 76 mg/m³ 9003-11-6 AMINO-METHYL-PROPANOL 76 mg/m³ 7757-82-6 sodium sulphate 110 mg/m 1310-73-2 sodium sulphate 110 mg/m³ 1336-21-6 AMMONIUM HYDROXIDE 28% 330 ppm 98-83-9 2-phenylpropene 830 ppm 91-20-3 naphthalene 83 ppm 91-22-5 quinoline 2.9 ppm 100-42-5 styrene 130 ppm 50-00-0 formaldehyde 45 ppm 75-56-9 propylene oxide 290 ppm 72-18 ethylene oxide 320 ppm 123-91-1 1,4-dioxane 320 ppm 903-11-6 AMINO-METHYL-PROPANOL 460 mg/m	91-20-3	naphthalene	
50-00-0 formaldehyde 0.90 ppm 75-21-8 ethylene oxide 5 ppm 75-56-9 propylene oxide 73 ppm 123-91-1 1,4-dioxane 17 ppm PAC-2: 9003-11-6 AMINO-METHYL-PROPANOL 76 mg/m³ 9003-11-6 AMINO-METHYL-PROPANOL 76 mg/m³ 7757-82-6 sodium sulphate 110 mg/m 1310-73-2 sodium hydroxide 5 mg/m³ 1336-21-6 AMMONIUM HYDROXIDE 28% 330 ppm 98-83-9 2-phenylpropene 830 ppm 91-20-3 naphthalene 83 ppm 91-22-5 quinoline 2.9 ppm 100-42-5 styrene 130 ppm 50-00-0 formaldehyde 14 ppm 75-56-9 propylene oxide 290 ppm 123-91-1 1,4-dioxane 220 ppm 903-11-6 AMINO-METHYL-PROPANOL 460 mg/m	91-22-5	quinoline	0.003 ppr
75-21-8 ethylene oxide 5 ppm 75-56-9 propylene oxide 73 ppm 123-91-1 1,4-dioxane 17 ppm PAC-2: 9003-11-6 AMINO-METHYL-PROPANOL 76 mg/m³ 4719-04-4 2,2',2''-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol 25 mg/m³ 7757-82-6 sodium sulphate 110 mg/m 1310-73-2 sodium hydroxide 5 mg/m³ 1336-21-6 AMMONIUM HYDROXIDE 28% 330 ppm 98-83-9 2-phenylpropene 830 ppm 91-20-3 naphthalene 83 ppm 91-22-5 quinoline 2.9 ppm 100-42-5 styrene 130 ppm 50-00-0 formaldehyde 14 ppm 75-56-9 propylene oxide 290 ppm 123-91-1 1,4-dioxane 320 ppm 75-56-9 propylene oxide 320 ppm 75-56-9 propylene oxide 320 ppm 75-56-9 propylene oxide 320 ppm 123-91-1 1,4-dioxane 320 ppm	100-42-5	styrene	20 ppm
75-56-9 propylene oxide 73 ppm 123-91-1 1,4-dioxane 17 ppm PAC-2: 9003-11-6 AMINO-METHYL-PROPANOL 76 mg/m³ 4719-04-4 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol 25 mg/m³ 7757-82-6 sodium sulphate 110 mg/m³ 1310-73-2 sodium hydroxide 5 mg/m³ 1336-21-6 AMMONIUM HYDROXIDE 28% 330 ppm 98-83-9 2-phenylpropene 830 ppm 91-20-3 naphthalene 83 ppm 91-22-5 quinoline 2.9 ppm 100-42-5 styrene 130 ppm 50-00-0 formaldehyde 14 ppm 75-56-9 propylene oxide 290 ppm 123-91-1 1,4-dioxane 320 ppm 9003-11-6 AMINO-METHYL-PROPANOL 460 mg/m	50-00-0	formaldehyde	0.90 ppm
123-91-1 1,4-dioxane 17 ppm PAC-2: 9003-11-6 AMINO-METHYL-PROPANOL 76 mg/m³ 4719-04-4 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol 25 mg/m³ 7757-82-6 sodium sulphate 110 mg/m³ 1310-73-2 sodium hydroxide 5 mg/m³ 1336-21-6 AMMONIUM HYDROXIDE 28% 330 ppm 98-83-9 2-phenylpropene 830 ppm 91-20-3 naphthalene 83 ppm 91-22-5 quinoline 2.9 ppm 100-42-5 styrene 130 ppm 50-00-0 formaldehyde 14 ppm 75-56-9 propylene oxide 45 ppm 75-56-9 propylene oxide 320 ppm 123-91-1 1,4-dioxane 320 ppm	75-21-8	ethylene oxide	
PAC-2: 9003-11-6 AMINO-METHYL-PROPANOL 76 mg/m³ 4719-04-4 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol 25 mg/m³ 7757-82-6 sodium sulphate 110 mg/m³ 1310-73-2 sodium hydroxide 5 mg/m³ 1336-21-6 AMMONIUM HYDROXIDE 28% 330 ppm 98-83-9 2-phenylpropene 830 ppm 91-20-3 naphthalene 83 ppm 91-22-5 quinoline 2.9 ppm 100-42-5 styrene 130 ppm 50-00-0 formaldehyde 14 ppm 75-21-8 ethylene oxide 45 ppm 75-21-8 thylene oxide 290 ppm 123-91-1 1,4-dioxane 320 ppm	75-56-9	propylene oxide	73 ppm
9003-11-6 AMINO-METHYL-PROPANOL 76 mg/m³ 4719-04-4 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol 25 mg/m³ 7757-82-6 sodium sulphate 110 mg/m³ 1310-73-2 sodium hydroxide 5 mg/m³ 1336-21-6 AMMONIUM HYDROXIDE 28% 330 ppm 98-83-9 2-phenylpropene 830 ppm 91-20-3 naphthalene 83 ppm 91-22-5 quinoline 2.9 ppm 100-42-5 styrene 130 ppm 50-00-0 formaldehyde 14 ppm 75-21-8 ethylene oxide 45 ppm 75-56-9 propylene oxide 290 ppm 123-91-1 1,4-dioxane 320 ppm 9003-11-6 AMINO-METHYL-PROPANOL 460 mg/m	123-91-1	1,4-dioxane	17 ppm
4719-04-4 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol 25 mg/m³ 7757-82-6 sodium sulphate 110 mg/m 1310-73-2 sodium hydroxide 5 mg/m³ 1336-21-6 AMMONIUM HYDROXIDE 28% 330 ppm 98-83-9 2-phenylpropene 830 ppm 91-20-3 naphthalene 83 ppm 91-22-5 quinoline 2.9 ppm 100-42-5 styrene 130 ppm 50-00-0 formaldehyde 14 ppm 75-56-9 propylene oxide 290 ppm 123-91-1 1,4-dioxane 320 ppm 9003-11-6 AMINO-METHYL-PROPANOL 460 mg/m	PAC-2:		
7757-82-6 sodium sulphate 110 mg/m 1310-73-2 sodium hydroxide 5 mg/m ³ 1336-21-6 AMMONIUM HYDROXIDE 28% 330 ppm 98-83-9 2-phenylpropene 830 ppm 91-20-3 naphthalene 83 ppm 91-22-5 quinoline 2.9 ppm 100-42-5 styrene 130 ppm 50-00-0 formaldehyde 14 ppm 75-21-8 ethylene oxide 45 ppm 75-56-9 propylene oxide 290 ppm 123-91-1 1,4-dioxane 320 ppm	9003-11-6	AMINO-METHYL-PROPANOL	76 mg/m ³
1310-73-2 sodium hydroxide 5 mg/m³ 1336-21-6 AMMONIUM HYDROXIDE 28% 330 ppm 98-83-9 2-phenylpropene 830 ppm 91-20-3 naphthalene 83 ppm 91-22-5 quinoline 2.9 ppm 100-42-5 styrene 130 ppm 50-00-0 formaldehyde 14 ppm 75-21-8 ethylene oxide 45 ppm 75-56-9 propylene oxide 290 ppm 123-91-1 1,4-dioxane 320 ppm 9003-11-6 AMINO-METHYL-PROPANOL 460 mg/m			-
1336-21-6 AMMONIUM HYDROXIDE 28% 330 ppm 98-83-9 2-phenylpropene 830 ppm 91-20-3 naphthalene 83 ppm 91-22-5 quinoline 2.9 ppm 100-42-5 styrene 130 ppm 50-00-0 formaldehyde 14 ppm 75-21-8 ethylene oxide 45 ppm 75-56-9 propylene oxide 290 ppm 123-91-1 1,4-dioxane 320 ppm 9003-11-6 AMINO-METHYL-PROPANOL 460 mg/m			-
98-83-9 2-phenylpropene 830 ppm 91-20-3 naphthalene 83 ppm 91-22-5 quinoline 2.9 ppm 100-42-5 styrene 130 ppm 50-00-0 formaldehyde 14 ppm 75-21-8 ethylene oxide 45 ppm 75-56-9 propylene oxide 290 ppm 123-91-1 1,4-dioxane 320 ppm PAC-3: 9003-11-6 AMINO-METHYL-PROPANOL 460 mg/m			5 mg/m³
91-20-3 naphthalene 83 ppm 91-22-5 quinoline 2.9 ppm 100-42-5 styrene 130 ppm 50-00-0 formaldehyde 14 ppm 75-21-8 ethylene oxide 45 ppm 75-56-9 propylene oxide 290 ppm 123-91-1 1,4-dioxane 320 ppm PAC-3: 9003-11-6 AMINO-METHYL-PROPANOL 460 mg/m			
91-22-5 quinoline 2.9 ppm 100-42-5 styrene 130 ppm 50-00-0 formaldehyde 14 ppm 75-21-8 ethylene oxide 45 ppm 75-56-9 propylene oxide 290 ppm 123-91-1 1,4-dioxane 320 ppm PAC-3: 9003-11-6 AMINO-METHYL-PROPANOL 460 mg/m			
100-42-5 styrene 130 ppm 50-00-0 formaldehyde 14 ppm 75-21-8 ethylene oxide 45 ppm 75-56-9 propylene oxide 290 ppm 123-91-1 1,4-dioxane 320 ppm PAC-3: 9003-11-6 AMINO-METHYL-PROPANOL 460 mg/m			
50-00-0 formaldehyde 14 ppm 75-21-8 ethylene oxide 45 ppm 75-56-9 propylene oxide 290 ppm 123-91-1 1,4-dioxane 320 ppm PAC-3: 9003-11-6 AMINO-METHYL-PROPANOL 460 mg/m			
75-21-8 ethylene oxide 45 ppm 75-56-9 propylene oxide 290 ppm 123-91-1 1,4-dioxane 320 ppm PAC-3: 9003-11-6 AMINO-METHYL-PROPANOL 460 mg/m			
75-56-9 propylene oxide 290 ppm 123-91-1 1,4-dioxane 320 ppm PAC-3: 9003-11-6 AMINO-METHYL-PROPANOL 460 mg/m		-	
123-91-1 1,4-dioxane 320 ppm PAC-3: 9003-11-6 AMINO-METHYL-PROPANOL 460 mg/m		· · · · · · · · · · · · · · · · · · ·	
PAC-3: 9003-11-6 AMINO-METHYL-PROPANOL 460 mg/m			
9003-11-6 AMINO-METHYL-PROPANOL 460 mg/m	123-91-1	1,4-dioxane	320 ppm
· · · · · · · · · · · · · · · · · · ·	PAC-3:		
	9003-11-6	AMINO-METHYL-PROPANOL	460 mg/m
(Cond. on page		1	(Contd. on page

Printing date 11/09/2022

Reviewed on 10/27/2022

Trade name: AQUABLAK 5101

		(Contd. of page 3)
4719-04-4	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	150 mg/m³
7757-82-6	sodium sulphate	650 mg/m³
1310-73-2	sodium hydroxide	50 mg/m ³
1336-21-6	AMMONIUM HYDROXIDE 28%	2,300 ppm
98-83-9	2-phenylpropene	5000* ppm
91-20-3	naphthalene	500 ppm
91-22-5	quinoline	17 ppm
100-42-5	styrene	1100* ppm
50-00-0	formaldehyde	56 ppm
75-21-8	ethylene oxide	200 ppm
75-56-9	propylene oxide	870 ppm
123-91-1	1,4-dioxane	760 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling

In accordance with good industrial practices, handle with care and avoid personal contact. Containers should be triple rinsed according to federal regulations and/or good waste management practices.

- · Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities Keep containers closed when not in use.
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
 Keep away from foodstuffs, beverages and feed.
 Immediately remove all soiled and contaminated clothing.
 Wash hands before breaks and at the end of work.
 Avoid contact with the skin.
 Avoid contact with the eyes and skin.

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 11/09/2022

· Odor:

Reviewed on 10/27/2022

Trade name: AQUABLAK 5101

(Contd. of page 4) · Breathing equipment: If exposure to dust is likely, a NIOSH approved dust respirator is recommended. · Protection of hands: Protective gloves Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of guality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: Always wear safety glasses. Body protection: · Light weight protective clothing Wear apron, coveralls, boots and long sleve shirt to prevent skin contact. · Limitation and supervision of exposure into the environment Eyewash fountains should be easily accessible. Shower after handling this product. Workclothes should be washed before reuse. Before eating, drinking or smoking, wash hands and face with soap and water. 9 Physical and chemical properties Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Color: Black Light · Odor threshold: Not determined. Not determined. · pH-value: · Change in condition

Melting point/Melting range: Undetermined. Boiling point/Boiling range: 100 °C (212 °F) · Flash point: Not applicable. · Flammability (solid, gaseous): Not applicable. >140 °C (>284 °F) · Ignition temperature: · Decomposition temperature: Not determined. · Auto igniting: Product is not selfigniting. • Danger of explosion: Product does not present an explosion hazard. (Contd. on page 6)

US



Printing date 11/09/2022

Reviewed on 10/27/2022

Trade name: AQUABLAK 5101

	(Contd. of p
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	0.0 %
Water:	58.2-58.4 %
VOC Content:	0.0 g/l / 0.00 lb/gal
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Burning will produce oxides of carbon, nitrogen and sulfur.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: May be irritant.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

(Contd. on page 7)

US ·

Safety Data Sheet acc. to OSHA HCS

Printing date 11/09/2022

Reviewed on 10/27/2022

Trade name: AQUABLAK 5101

(Contd. of page 6)

2B

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Carbon Black, non activated, mineral origin

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · **Bioaccumulative potential** No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Disposal must be made according to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

Containers should be triple rinsed according to Federal Regulations and/or good waste management practice.

• **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number · DOT, IMDG, IATA

not regulated

(Contd. on page 8)

US



Printing date 11/09/2022

Reviewed on 10/27/2022

Trade name: AQUABLAK 5101

		(Contd. of page
 UN proper shipping name DOT, IMDG, IATA 	not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA · Class	not regulated	
 Packing group DOT, IMDG, IATA 	not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	k II of Not applicable.	
· UN "Model Regulation":	not regulated	

15 Regulatory information

 $^{\cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\cdot}$ Sara

· Section 3	55 (extremely hazardous substances):
None of the	ne ingredients is listed.
· Section 3	13 (Specific toxic chemical listings):
None of the	ne ingredients is listed.
· TSCA (To	exic Substances Control Act):
All compo	nents have the value ACTIVE.
· Hazardou	us Air Pollutants
91-20-3	naphthalene
	quinoline
100-42-5	
	formaldehyde
	ethylene oxide
	propylene oxide
	1,4-dioxane
Propositi	on 65
Chemica	Is known to cause cancer:
98-83-9	2-phenylpropene
	naphthalene
	quinoline
100-42-5	
	formaldehyde
75-21-8	ethylene oxide
	(Contd. on page

-US-

Printing date 11/09/2022

Reviewed on 10/27/2022

Trade name: AQUABLAK 5101

		ntd. of page
	propylene oxide	
123-91-1	1,4-dioxane	
· Chemicals	s known to cause reproductive toxicity for females:	
75-21-8 e	thylene oxide	
· Chemicals	s known to cause reproductive toxicity for males:	
75-21-8 e	thylene oxide	
Chemical	s known to cause developmental toxicity:	
75-21-8 e	thylene oxide	
· New Jerse	ey Right-to-Know List:	
1310-73-2	sodium hydroxide	
1336-21-6	AMMONIUM HYDROXIDE 28%	
98-83-9	2-phenylpropene	
	naphthalene	
	quinoline	
	Butylated hydroxytoluene	
100-42-5		
	formaldehyde	
	ethylene oxide	
	propylene oxide 1,4-dioxane	
	ironmental Protection Agency) e ingredients is listed.	
	-	
•	shold Limit Value) ack, non activated, mineral origin	A4
		A4
	(National Institute for Occupational Safety and Health)	
	ack, non activated, mineral origin	
	Domestic Substances List (DSL)	
7732-18-5	MS-BL-WATER	
0000 44 0	Carbon Black, non activated, mineral origin	
9003-11-6	AMINO-METHYL-PROPANOL	
	naphthalenesulfonic acid condensate sodium salt modified acrylic copolymers	
4710-01-1	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	
	sodium sulphate	
	sodium hydroxide	
	AGITAN DF 999 (PROPRIETARY MIX)	
2634-33-5	1,2-benzisothiazol-3(2H)-one	
	AMMONIUM HYDROXIDE 28%	
98-83-9	2-phenylpropene	
		d. on page 1

Printing date 11/09/2022

Reviewed on 10/27/2022

Trade name: AQUABLAK 5101

(Contd. of page 9)

	(Contd. of page 9)
	naphthalene
	Butylated hydroxytoluene
100-42-5	•
50-00-0	formaldehyde
75-21-8	ethylene oxide
123-91-1	1,4-dioxane
	Non-Domestic Substances List (NDSL)
None of the	ingredients is listed.
• GHS label The produc • Hazard pic	t is classified and labeled according to the Globally Harmonized System (GHS).
Wash thoro Wear prote If on skin: V Specific trea If skin irritat Take off co	tements in irritation. hary statements hughly after handling. ctive gloves. Vash with plenty of water. atment (see on this label). ction occurs: Get medical advice/attention. ntaminated clothing and wash it before reuse.
· National re	-
CA prop 65 This produ defects or Enforceme testing show the best of	lations, limitations and prohibitive regulations ct contains a chemical(s) known to the state of California to cause cancer and/or birth other reproductive harm. Pursuant to the California Safe Drinking Water and Toxic nt Act of 1986 we are required to provide the above warning in the absence of definitive wing risks from long-term exposure to chemicals present in our formulations do not exist. To four knowledge, this product complies with all Federal and Sate laws and regulations is manufacturing, distribution and intended use.
· State - Rig	ht to know
None of the	ingredients is listed.
· Chemical s	safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Disclaimer:

We believe all the information and data given is accurate as of the date of preparation and is offered in good faith.

This information is given without warranty or representation solely for your consideration, investigation and verification. Since conditions of use is beyond our control, we expressly disclaim all liability for the use or handling of this product.

(Contd. on page 11)

US

Safety Data Sheet acc. to OSHA HCS

Printing date 11/09/2022

Reviewed on 10/27/2022

Trade name: AQUABLAK 5101

	(Contd. of page 10
Department issuing SDS: Environment protection department.	
Contact: Carlo Benedetti	
Date of preparation / last revision 11/09/2022	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Skin Irritation 2: Skin corrosion/irritation – Category 2	