CHR

Safety Data Sheet acc. to OSHA HCS

Printing date 11/15/2022

Reviewed on 11/15/2022

1 Identification

- · Product identifier
- Trade name: AQUABLAK 5216
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Chromascape 7555 E Pleasant Valley Rd Independence, OH 44131
- Information department: phone 888.421.0010 email healthsafety@chromascape.com
 Emergency telephone number:
- Call Chemtrec tel: 1 800 424 9300 Outside the United States call 703 527 3887

2 Hazard(s) identification

Classification of the substance or mixture



Skin Irritation 2 H315 Causes skin irritation.

- · Label elements
- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard statements
- Causes skin irritation.
- Precautionary statements
 Wash thoroughly after handling.
 Wear protective gloves.
 If on skin: Wash with plenty of water.
 Specific treatment (see on this label).
 If skin irritation occurs: Get medical advice/attention.
 Take off contaminated clothing and wash it before reuse.
- · Classification system:
- NFPA ratings (scale 0 4)



Health = 1 Fire = 0 Reactivity = 0

(Contd. on page 2)

[–] US



Printing date 11/15/2022

Reviewed on 11/15/2022

Trade name: AQUABLAK 5216

(Contd. of page 1)

· HMIS-ratings (scale 0 - 4)

HEALTH1FIRE0REACTIVITY0

Health = 1
Fire = 0
Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

 Dangerous 	components:
-------------------------------	-------------

	ORGANIC PIGMENT	25-50%
127087-87-0	4-Nonylphenol, branched, ethoxylated	≥2.5-<10%
4719-04-4	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	≥0.1-<1%

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment:

Should be equipped with self contained breathing apparatus and protective clothing.

(Contd. on page 3)

Printing date 11/15/2022

CHR

Reviewed on 11/15/2022

Trade name: AQUABLAK 5216

(Contd. of page 2)

6 Accidenta	l release measures	
	ecautions, protective equipment and emergency procedures	
	riate safety equipment.	
	tal precautions: Do not allow to enter sewers/ surface or ground water.	
	d material for containment and cleaning up:	
	quid-binding material (sand, diatomite, acid binders, universal binders, sawdu	ıst).
	riate safety equipment.	
	clean up spill immediately.	
	entering floor drains. ers carefully minimizing dusting.	
	Il materials into disposal drums and follow disposal instructions.	
	ea with detergent and flush with copious amount of water.	
	o other sections	
	7 for information on safe handling.	
	8 for information on personal protection equipment. 13 for disposal information.	
· Protective A	ction Criteria for Chemicals	
· PAC-1:		
127087-87-0	4-Nonylphenol, branched, ethoxylated	30 mg/m ³
4719-04-4	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	2.3 mg/m ³
1310-73-2	sodium hydroxide	0.5 mg/m ³
7757-82-6	sodium sulphate	9.8 mg/m ³
91-20-3	naphthalene	15 ppm
	quinoline	0.003 ppm
50-00-0	formaldehyde	0.90 ppm
· PAC-2:		
	4-Nonylphenol, branched, ethoxylated	330 mg/m ³
	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	25 mg/m ³
1310-73-2	sodium hydroxide	5 mg/m ³
	sodium sulphate	110 mg/m ³
	naphthalene	83 ppm
	quinoline	2.9 ppm
50-00-0	formaldehyde	14 ppm
· PAC-3:		
		2,000 mg/m³
		150 mg/m³
	-	50 mg/m³
		650 mg/m³
		500 ppm
		17 ppm
50-00-0	formaldehyde	56 ppm

(Contd. on page 4)

US

Printing date 11/15/2022

Reviewed on 11/15/2022

Trade name: AQUABLAK 5216

(Contd. of page 3)

7 Handling and storage

- · Handling:
- Precautions for safe handling

In accordance with good industrial practices, handle with care and avoid personal contact. Containers should be triple rinsed according to federal regulations and/or good waste management practices.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Keep containers closed when not in use.
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- Breathing equipment:
- If exposure to dust is likely, a NIOSH approved dust respirator is recommended.
- Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Always wear safety glasses.

(Contd. on page 5)

CHR

Safety Data Sheet acc. to OSHA HCS

Printing date 11/15/2022

Reviewed on 11/15/2022

Trade name: AQUABLAK 5216

(Contd. of page 4)

 Body protection:
 Light weight protective clothing Wear apron, coveralls, boots and long sleve shirt to prevent skin contact.

• Limitation and supervision of exposure into the environment Eyewash fountains should be easily accessible.

Shower after handling this product.

Workclothes should be washed before reuse.

Before eating, drinking or smoking, wash hands and face with soap and water.

Information on basic physical and General Information	pp
Appearance:	
Form:	Liquid
Color: Odor:	Black Light
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic: Kinematic:	Not determined. Not determined.



Printing date 11/15/2022

Reviewed on 11/15/2022

Trade name: AQUABLAK 5216

(Contd. of page 5)

Solvent content: Organic solvents: Water: VOC Content:

0.0 % 66.9 % 0.0 g/l / 0.00 lb/gal

Other information

No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: Burning will produce oxides of carbon, nitrogen and sulfur.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: May be irritant.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Carbon Black, non activated, mineral origin

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 7)

2B

US

CHR

Safety Data Sheet acc. to OSHA HCS

Printing date 11/15/2022

Reviewed on 11/15/2022

Trade name: AQUABLAK 5216

(Contd. of page 6)

· Behavior in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Disposal must be made according to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

Containers should be triple rinsed according to Federal Regulations and/or good waste management practice.

• **Recommendation:** Disposal must be made according to official regulations.

UN-Number		
DOT, IMDG, IATA	not regulated	
UN proper shipping name		
DOT, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
DOT, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Ann	iex II of	
MARPOL73/78 and the IBC Code	Not applicable.	

(Contd. on page 8)

Printing date 11/15/2022

CHR MASCAPE

Reviewed on 11/15/2022

Trade name: AQUABLAK 5216

(Contd. of page 7)

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

 Section 355 (e) 	extremely	hazardous	substances):
-------------------------------------	-----------	-----------	--------------

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

127087-87-0 4-Nonylphenol, branched, ethoxylated

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

91-20-3 naphthalene

91-22-5 quinoline 50-00-0 formaldehyde

Proposition 65

• Chemicals known to cause cancer:

91-20-3 naphthalene 91-22-5 quinoline

50-00-0 formaldehyde

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

• New Jersey Right-to-Know List:

1310-73-2sodium hydroxide91-20-3naphthalene

91-22-5 quinoline 50-00-0 formaldehyde

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

Carbon Black, non activated, mineral origin

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Carbon Black, non activated, mineral origin

· Canadian Domestic Substances List (DSL)

7732-18-5 MS-BL-WATER

Carbon Black, non activated, mineral origin

(Contd. on page 9)

A4

⁻ US



Printing date 11/15/2022

Reviewed on 11/15/2022

Trade name: AQUABLAK 5216

(Contd. of page 8)

407007 07 0	4-Nonylphenol, branched, ethoxylated
12/08/-8/-0	
	naphthalenesulfonic acid condensate sodium salt
4719-04-4	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol
1310-73-2	sodium hydroxide
	sodium sulphate
2634-33-5	1,2-benzisothiazol-3(2H)-one
91-20-3	naphthalene
50-00-0	formaldehyde
· Canadian No	on-Domestic Substances List (NDSL)
None of the i	ngredients is listed.
· Hazard picto	
Wash thorou	rments irritation. ry statements ghly after handling.
• Signal word • Hazard state Causes skin • Precautiona Wash thorou Wear protect If on skin: Wa Specific treat If skin irritatic Take off cont	aments irritation. ry statements ghly after handling. ive gloves. ash with plenty of water. ment (see on this label). n occurs: Get medical advice/attention. aminated clothing and wash it before reuse.
 Signal word Hazard state Causes skin Precautiona Wash thorou Wear protect If on skin: Wa Specific treat If skin irritatio Take off cont National reg 	aments irritation. ry statements ghly after handling. ive gloves. ash with plenty of water. ment (see on this label). n occurs: Get medical advice/attention. aminated clothing and wash it before reuse. ulations:
 Signal word Hazard state Causes skin Precautiona Wash thorou Wear protect If on skin: Wa Specific treat If skin irritatic Take off cont National regula CA prop 65 This product defects or of Enforcement testing show the best of of 	aments irritation. ry statements ghly after handling. ive gloves. ash with plenty of water. ment (see on this label). n occurs: Get medical advice/attention. aminated clothing and wash it before reuse.
 Signal word Hazard state Causes skin Precautiona Wash thorou Wear protect If on skin: Wa Specific treat If skin irritation Take off continue National region Other regular CA prop 65 This product defects or continues Enforcement testing showit the best of continues 	ments rritation. ry statements ghly after handling. ive gloves. ash with plenty of water. ment (see on this label). n occurs: Get medical advice/attention. aminated clothing and wash it before reuse. ulations: tions, limitations and prohibitive regulations contains a chemical(s) known to the state of California to cause cancer and/or birth ther reproductive harm. Pursuant to the California Safe Drinking Water and Toxic Act of 1986 we are required to provide the above warning in the absence of definitive ng risks from long-term exposure to chemicals present in our formulations do not exist. To bur knowledge, this product complies with all Federal and Sate laws and regulations manufacturing, distribution and intended use.
 Signal word Hazard state Causes skin Precautiona Wash thorou Wear protect If on skin: Wa Specific treat If skin irritation Take off contained National regula Other regula CA prop 65 This product defects or contained Enforcement testing showi the best of contained State - Right 	ments irritation. ry statements ghly after handling. ive gloves. ash with plenty of water. ment (see on this label). n occurs: Get medical advice/attention. aminated clothing and wash it before reuse. ulations: tions, limitations and prohibitive regulations contains a chemical(s) known to the state of California to cause cancer and/or birth ther reproductive harm. Pursuant to the California Safe Drinking Water and Toxic Act of 1986 we are required to provide the above warning in the absence of definitive ng risks from long-term exposure to chemicals present in our formulations do not exist. To bur knowledge, this product complies with all Federal and Sate laws and regulations manufacturing, distribution and intended use.

Disclaimer:

We believe all the information and data given is accurate as of the date of preparation and is offered in good faith.

(Contd. on page 10)

US



Printing date 11/15/2022

Reviewed on 11/15/2022

Trade name: AQUABLAK 5216

(Contd. of page 9)

This information is given without warranty or representation solely for your consideration, investigation and verification. Since conditions of use is beyond our control, we expressly disclaim all liability for the use or handling of this product.

· Department issuing SDS: Environment protection department.

- · Contact: Carlo Benedetti · Date of preparation / last revision 11/15/2022 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Skin Irritation 2: Skin corrosion/irritation Category 2

US-