# CHR

# Safety Data Sheet acc. to OSHA HCS

Printing date 11/09/2022

Reviewed on 11/09/2022

#### **1** Identification

- · Product identifier
- Trade name: AQUABLAK 6577
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Chromascape 7555 E Pleasant Valley Rd Independence, OH 44131
- Information department: phone 888.421.0010 email healthsafety@chromascape.com
   Emergency telephone number:
- Call Chemtrec tel: 1 800 424 9300 Outside the United States call 703 527 3887

### 2 Hazard(s) identification

Classification of the substance or mixture



Skin Irritation 2 H315 Causes skin irritation.

- · Label elements
- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard statements
- Causes skin irritation.
- Precautionary statements
   Wash thoroughly after handling.
   Wear protective gloves.
   If on skin: Wash with plenty of water.
   Specific treatment (see on this label).
   If skin irritation occurs: Get medical advice/attention.
   Take off contaminated clothing and wash it before reuse.
- · Classification system:
- NFPA ratings (scale 0 4)



Health = 1 Fire = 0Reactivity = 0

(Contd. on page 2)

<sup>–</sup> US

Printing date 11/09/2022

Reviewed on 11/09/2022

Trade name: AQUABLAK 6577

(Contd. of page 1)

· HMIS-ratings (scale 0 - 4)

HEALTH 1 FIRE 0 F REACTIVITY 0 F

Health = 1
Fire = 0
Reactivity = 0

· Other hazards

• Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
	ORGANIC PIGMENT	25-50%	
	modified acrylic copolymers	≥2.5-<10%	
7664-41-7	ammonia, anhydrous	≥0-<0.25%	
4719-04-4	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	≥0.1-<1%	
52-51-7	bronopol (INN)	≥0.025-<0.25%	

#### 4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **5** Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

Should be equipped with self contained breathing apparatus and protective clothing.

Printing date 11/09/2022

CHR

Reviewed on 11/09/2022

Trade name: AQUABLAK 6577

(Contd. of page 2)

Wear appr Environme Methods a Absorb with Wear appr Contain an Prevent fro Sweep pov Shovel all s Scrub spill Reference See Sectio See Sectio See Sectio	<b>brecautions, protective equipment and emergency procedures briate safety equipment. cental precautions:</b> Do not allow to enter sewers/ surface or ground water. <b>and material for containment and cleaning up:</b> In liquid-binding material (sand, diatomite, acid binders, universal binders, sate opriate safety equipment. d clean up spill immediately. m entering floor drains. vders carefully minimizing dusting. spill materials into disposal drums and follow disposal instructions. area with detergent and flush with copious amount of water. <b>to other sections</b> n 7 for information on safe handling. n 8 for information on personal protection equipment. n 13 for disposal information. <b>Action Criteria for Chemicals</b>	awdust).	
	AMINO-METHYL-PROPANOL	6.9 mg/m <sup>3</sup>	
	ammonia, anhydrous	30 ppm	
	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	2.3 mg/m <sup>3</sup>	
	Propylene glycol	2.3 mg/m <sup>3</sup>	
	silicon dioxide, chemically prepared	18 mg/m <sup>3</sup>	
	AMMONIUM HYDROXIDE 28%	61 ppm	
	2-phenylpropene	100 ppm	
	sodium hydroxide	0.5 mg/m <sup>3</sup>	
100-42-5	•	20 ppm	
	ethylene oxide	5 ppm	
	propylene oxide 73 pp		
	1         1,4-dioxane         17 p		
PAC-2:			
	AMINO-METHYL-PROPANOL	76 mg/m <sup>3</sup>	
	ammonia, anhydrous	160 ppm	
	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	25 mg/m <sup>3</sup>	
	Propylene glycol	1,300 mg/m	
	silicon dioxide, chemically prepared	740 mg/m <sup>3</sup>	
	AMMONIUM HYDROXIDE 28%	330 ppm	
	2-phenylpropene	830 ppm	
	sodium hydroxide	5 mg/m <sup>3</sup>	
100-42-5	•	130 ppm	
	ethylene oxide	45 ppm	
	propylene oxide	290 ppm	
75-56-9	1-1         1,4-dioxane         320 ppm		

Printing date 11/09/2022

Reviewed on 11/09/2022

Trade name: AQUABLAK 6577

		(Contd. of page 3)
· PAC-3:		
9003-11-6	AMINO-METHYL-PROPANOL	460 mg/m <sup>3</sup>
7664-41-7	ammonia, anhydrous	1,100 ppm
4719-04-4	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	150 mg/m <sup>3</sup>
57-55-6	Propylene glycol	7,900 mg/m <sup>3</sup>
7631-86-9	silicon dioxide, chemically prepared	4,500 mg/m <sup>3</sup>
1336-21-6	AMMONIUM HYDROXIDE 28%	2,300 ppm
98-83-9	2-phenylpropene	5000* ppm
1310-73-2	sodium hydroxide	50 mg/m³
100-42-5	styrene	1100* ppm
75-21-8	ethylene oxide	200 ppm
75-56-9	propylene oxide	870 ppm
123-91-1	1,4-dioxane	760 ppm

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

In accordance with good industrial practices, handle with care and avoid personal contact. Containers should be triple rinsed according to federal regulations and/or good waste management practices.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Keep containers closed when not in use.
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

7664	-41-7	amm	onia,	anhyo	dro	us		
				~ -		2	= 0	

- PEL Long-term value: 35 mg/m<sup>3</sup>, 50 ppm
- REL Short-term value: 27 mg/m<sup>3</sup>, 35 ppm Long-term value: 18 mg/m<sup>3</sup>, 25 ppm

(Contd. on page 5)

US

Printing date 11/09/2022

Reviewed on 11/09/2022

Trade name: AQUABLAK 6577

(Contd. of page 4)

TLV Short-term value: 35 ppm Long-term value: 25 ppm

- · Exposure controls
- · Personal protective equipment:

General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin.
Breathing equipment:

- If exposure to dust is likely, a NIOSH approved dust respirator is recommended.
- Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Always wear safety glasses.
- Body protection:
- Light weight protective clothing

Wear apron, coveralls, boots and long sleve shirt to prevent skin contact.

- Limitation and supervision of exposure into the environment
- Eyewash fountains should be easily accessible.
- Shower after handling this product.

Workclothes should be washed before reuse.

Before eating, drinking or smoking, wash hands and face with soap and water.

Information on basic physic General Information	cal and chemical properties	
Appearance:		
Form:	Liquid	
Color:	Black	
Odor:	Light	
Odor threshold:	Not determined.	
pH-value:	Not determined.	

Printing date 11/09/2022

Reviewed on 11/09/2022

## Trade name: AQUABLAK 6577

	(Contd. of page
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 100 °C (212 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits: Lower: Upper:	Not determined. Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
<ul> <li>Density:</li> <li>Relative density</li> <li>Vapor density</li> <li>Evaporation rate</li> </ul>	Not determined. Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	er): Not determined.
<sup>·</sup> Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
Solvent content: Organic solvents: Water: VOC Content:	0.1 % 49.9-51.9 % 0.1 g/l / 0.00 lb/gal
Other information	No further relevant information available.

## 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · **Incompatible materials:** No further relevant information available.
- Hazardous decomposition products: Burning will produce oxides of carbon, nitrogen and sulfur.

(Contd. on page 7)

US

Printing date 11/09/2022

Reviewed on 11/09/2022

Trade name: AQUABLAK 6577

(Contd. of page 6)

2B

### 11 Toxicological information

· Information on toxicological effects

- Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: May be irritant.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Carbon Black, non activated, mineral origin

· NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

## **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Disposal must be made according to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

US

# CHR

# Safety Data Sheet acc. to OSHA HCS

Printing date 11/09/2022

Reviewed on 11/09/2022

Trade name: AQUABLAK 6577

(Contd. of page 7)

· Uncleaned packagings:

Containers should be triple rinsed according to Federal Regulations and/or good waste management practice.

• Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, IMDG, IATA	not regulated	
UN proper shipping name DOT, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA Class	not regulated	
Packing group DOT, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	x II of Not applicable.	
UN "Model Regulation":	not regulated	

# 15 Regulatory information

 $^{\rm \cdot}$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $^{\rm \cdot}$  Sara

Section 355 (extremely hazardous substances):
 7664-41-7 ammonia, anhydrous
 Section 313 (Specific toxic chemical listings):
 7664-41-7 ammonia, anhydrous

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

100-42-5 styrene

75-21-8 ethylene oxide

75-56-9 propylene oxide

123-91-1 1,4-dioxane

(Contd. on page 9)

US

Printing date 11/09/2022

Reviewed on 11/09/2022

Trade name: AQUABLAK 6577

Propositio	n 65	(Contd. of page
-	known to cause cancer:	
98-83-9 2	P-phenylpropene	
100-42-5 s		
75-21-8 e	thylene oxide	
75-56-9 p	propylene oxide	
123-91-1 1	,4-dioxane	
Chemicals	known to cause reproductive toxicity for females:	
75-21-8 et	hylene oxide	
Chemicals	known to cause reproductive toxicity for males:	
75-21-8 et	hylene oxide	
Chemicals	known to cause developmental toxicity:	
75-21-8 et	hylene oxide	
New Jerse	y Right-to-Know List:	
7664-41-7	ammonia, anhydrous	
57-55-6	Propylene glycol	
1336-21-6	AMMONIUM HYDROXIDE 28%	
98-83-9	2-phenylpropene	
1310-73-2	sodium hydroxide	
100-42-5	styrene	
128-37-0	Butylated hydroxytoluene	
75-21-8	ethylene oxide	
75-56-9	propylene oxide	
123-91-1	1,4-dioxane	
Carcinoge	nic categories	
EPA (Envi	ronmental Protection Agency)	
None of the	e ingredients is listed.	
TLV (Three	shold Limit Value)	
Carbon Bla	ck, non activated, mineral origin	A
NIOSH-Ca	(National Institute for Occupational Safety and Health)	
Carbon Bla	ck, non activated, mineral origin	
Canadian	Domestic Substances List (DSL)	
7732-18-5	MS-BL-WATER	
	Carbon Black, non activated, mineral origin	
	modified acrylic copolymers	
9003-11-6	AMINO-METHYL-PROPANOL	
7664-41-7	ammonia, anhydrous	
	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	
4719-04-4	Propylene glycol	

-US

Printing date 11/09/2022

Reviewed on 11/09/2022

Trade name: AQUABLAK 6577

(Contd. of page 9)

52-51-7	bronopol (INN)		
1336-21-6	AMMONIUM HYDROXIDE 28%		
	1,2-benzisothiazol-3(2H)-one		
98-83-9	2-phenylpropene		
1310-73-2	sodium hydroxide		
100-42-5			
128-37-0	Butylated hydroxytoluene		
	ethylene oxide		
123-91-1	1,4-dioxane		
· Canadian Non-Domestic Substances List (NDSL)			
None of the	None of the ingredients is listed.		

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

#### Hazard pictograms



#### · Signal word Warning

Hazard statements

- Causes skin irritation.
- **Precautionary statements** Wash thoroughly after handling.
- Wear protective gloves.
- If on skin: Wash with plenty of water.

Specific treatment (see on this label).

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

· National regulations:

## Other regulations, limitations and prohibitive regulations

CA prop 65

This product contains a chemical(s) known to the state of California to cause cancer and/or birth defects or other reproductive harm. Pursuant to the California Safe Drinking Water and Toxic Enforcement Act of 1986 we are required to provide the above warning in the absence of definitive testing showing risks from long-term exposure to chemicals present in our formulations do not exist. To the best of our knowledge, this product complies with all Federal and Sate laws and regulations governing its manufacturing, distribution and intended use.

#### <sup>·</sup> State - Right to know

- None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

Disclaimer:

We believe all the information and data given is accurate as of the date of preparation and is offered in (Contd. on page 11)

# CHR

# Safety Data Sheet acc. to OSHA HCS

Printing date 11/09/2022

Reviewed on 11/09/2022

Trade name: AQUABLAK 6577

(Contd. of page 10)

good faith. This information is given without warranty or representation solely for your consideration, investigation and verification. Since conditions of use is beyond our control, we expressly disclaim all liability for the use or handling of this product.

· Department issuing SDS: Environment protection department.

· Contact: Carlo Benedetti

· Date of preparation / last revision 11/09/2022 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Skin Irritation 2: Skin corrosion/irritation - Category 2