CHR

Safety Data Sheet acc. to OSHA HCS

Printing date 11/14/2022

Reviewed on 11/14/2022

Tidentification	
. Droduct identifier	
• Product identifier	

- Trade name: AQUABLAK PLUS 9127-5
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Chromascape 7555 E Pleasant Valley Rd Independence, OH 44131
- Information department: phone 888.421.0010 email healthsafety@chromascape.com
 Emergency telephone number:
- Call Chemtrec tel: 1 800 424 9300 Outside the United States call 703 527 3887

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Irritation 2 H315 Causes skin irritation.

- · Label elements
- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard statements
- Causes skin irritation.
- Precautionary statements
 Wash thoroughly after handling.
 Wear protective gloves.
 If on skin: Wash with plenty of water.
 Specific treatment (see on this label).
 If skin irritation occurs: Get medical advice/attention.
 Take off contaminated clothing and wash it before reuse.
- · Classification system:
- NFPA ratings (scale 0 4)



Health = 1 Fire = 0Reactivity = 0

(Contd. on page 2)

[–] US

Printing date 11/14/2022

Reviewed on 11/14/2022

Trade name: AQUABLAK PLUS 9127-5

(Contd. of page 1)

· HMIS-ratings (scale 0 - 4)

HEALTH1FIRE0REACTIVITY0

Health = 1
Fire = 0
Reactivity = 0

· Other hazards

• Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

 Dangerous components:

Dangerou	s components.	
	ORGANIC PIGMENT	25-50%
	Emulsifier	≥2.5-<10%
7664-41-7	ammonia, anhydrous	≥0.25-<1%
4719-04-4	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	≥0.1-<1%

4 First-aid measures

· Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:

• **Most important symptoms and effects, both acute and delayed** No further relevant information available.

• **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment:

Should be equipped with self contained breathing apparatus and protective clothing.

(Contd. on page 3)

US

Printing date 11/14/2022

CHR

Reviewed on 11/14/2022

Trade name: AQUABLAK PLUS 9127-5

(Contd. of page 2)

	precautions, protective equipment and emergency procedures	
	opriate safety equipment. ental precautions: Do not allow to enter sewers/ surface or ground wate	r
	and material for containment and cleaning up:	1.
Absorb wit	n liquid-binding material (sand, diatomite, acid binders, universal binders,	sawdust).
	opriate safety equipment.	
	d clean up spill immediately. m entering floor drains.	
	/ders carefully minimizing dusting.	
Shovel all	pill materials into disposal drums and follow disposal instructions.	
	area with detergent and flush with copious amount of water.	
	to other sections n 7 for information on safe handling.	
See Sectio	n 8 for information on personal protection equipment.	
See Sectio	n 13 for disposal information.	
	Action Criteria for Chemicals	
PAC-1:		
	AMINO-METHYL-PROPANOL	6.9 mg/m
	ammonia, anhydrous	30 ppm
	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	2.3 mg/m
	sodium hydroxide	0.5 mg/m
	ethylene oxide	5 ppm
	propylene oxide	73 ppm
	1,4-dioxane	17 ppm
PAC-2:		
	AMINO-METHYL-PROPANOL	76 mg/m
7664-41-7	ammonia, anhydrous	160 ppm
	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	25 mg/m
	sodium hydroxide	5 mg/m³
	ethylene oxide	45 ppm
	propylene oxide	290 ppm
123-91-1	1,4-dioxane	320 ppm
PAC-3:		
9003-11-6	AMINO-METHYL-PROPANOL	460 mg/m
7664-41-7	ammonia, anhydrous	1,100 ppr
4719-04-4	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	150 mg/m
	sodium hydroxide	50 mg/m ³
	ethylene oxide	200 ppm
		070 mmm
	propylene oxide 1,4-dioxane	870 ppm 760 ppm

(Contd. on page 4)

US

Printing date 11/14/2022

Reviewed on 11/14/2022

Trade name: AQUABLAK PLUS 9127-5

(Contd. of page 3)

7 Handling and storage

- · Handling:
- · Precautions for safe handling

In accordance with good industrial practices, handle with care and avoid personal contact. Containers should be triple rinsed according to federal regulations and/or good waste management practices.

- · Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
- Keep containers closed when not in use.
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

7664-41-7 ammonia, anhydrous

- PEL Long-term value: 35 mg/m³, 50 ppm
- REL Short-term value: 27 mg/m³, 35 ppm Long-term value: 18 mg/m³, 25 ppm
- TLV Short-term value: 35 ppm Long-term value: 25 ppm

• Exposure controls

- Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the skin.
- Avoid contact with the eyes and skin.
- · Breathing equipment:
- If exposure to dust is likely, a NIOSH approved dust respirator is recommended.
- Protection of hands:



Protective gloves

(Contd. on page 5)

Printing date 11/14/2022

Reviewed on 11/14/2022

Trade name: AQUABLAK PLUS 9127-5

(Contd. of page 4)

• Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Always wear safety glasses.
- Body protection:
- Light weight protective clothing

Wear apron, coveralls, boots and long sleve shirt to prevent skin contact.

Limitation and supervision of exposure into the environment
 Eyewash fountains should be easily accessible.
 Shower after handling this product.
 Workclothes should be washed before reuse.
 Before eating, drinking or smoking, wash hands and face with soap and water.

mined.			
mined			
mineu.			
mined.			
nined.			
12 °F)			
able.			
able.			
mined.			
s not selfign	iting.		
oes not pre	sent an explos	sion hazard.	
mined.			
mined.			
7.3 mm Hg)		
mined.			
mined.			
min	ed.	ed.	ed.



Printing date 11/14/2022

Reviewed on 11/14/2022

Trade name: AQUABLAK PLUS 9127-5

	(Contd. o	f pag
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol	/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
Water:	43.4 %	
VOC Content:	0.0 g/l / 0.00 lb/gal	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: Burning will produce oxides of carbon, nitrogen and sulfur.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: May be irritant.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

 IARC (International Agency for Research on Cancer) 	
Carbon Black, non activated, mineral origin	2B
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
	(Contd. on page 7)

Printing date 11/14/2022

CHR MASCAPE

Reviewed on 11/14/2022

Trade name: AQUABLAK PLUS 9127-5

(Contd. of page 6)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Disposal must be made according to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

Containers should be triple rinsed according to Federal Regulations and/or good waste management practice.

• **Recommendation:** Disposal must be made according to official regulations.

UN-Number		
DOT, IMDG, IATA	not regulated	
UN proper shipping name		
DOT, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
Class	not regulated	



Printing date 11/14/2022

Reviewed on 11/14/2022

Trade name: AQUABLAK PLUS 9127-5

	(Contd. of page 7)
not regulated	
Not applicable.	
Not applicable.	
ex II of	
Not applicable.	
not regulated	
	Not applicable. Not applicable. ex II of Not applicable.

15 Regulatory information

 $^{\rm \cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\rm \cdot}$ Sara

 Section 35 	5 (extremely hazardous substances):
7664-41-7	ammonia, anhydrous
· Section 31	3 (Specific toxic chemical listings):
7664-41-7	ammonia, anhydrous
•	ic Substances Control Act):
All compone	ents have the value ACTIVE.
· Hazardous	Air Pollutants
	thylene oxide
	ropylene oxide
123-91-1 1	,4-dioxane
· Propositio	
[.] Chemicals	known to cause cancer:
75-21-8 e	thylene oxide
	ropylene oxide
123-91-1 1	,4-dioxane
	known to cause reproductive toxicity for females:
75-21-8 eth	nylene oxide
· Chemicals	known to cause reproductive toxicity for males:
75-21-8 eth	nylene oxide
· Chemicals	known to cause developmental toxicity:
75-21-8 eth	nylene oxide
· New Jersey	y Right-to-Know List:
	ammonia, anhydrous
60676-86-0	Silica, fused
	sodium hydroxide
128-37-0	Butylated hydroxytoluene
75-21-8	ethylene oxide
	(Contd. on page 9)

Printing date 11/14/2022

CHR

Reviewed on 11/14/2022

Trade name: AQUABLAK PLUS 9127-5

		(Contd. of page 8
	propylene oxide	
123-91-1	1,4-dioxane	
· Carcinoger	ic categories	
•	onmental Protection Agency)	
None of the	ingredients is listed.	
· TLV (Thres	hold Limit Value)	
Carbon Blac	k, non activated, mineral origin	A4
· NIOSH-Ca	National Institute for Occupational Safety and Health)	I
Carbon Blac	k, non activated, mineral origin	
· Canadian D	omestic Substances List (DSL)	
	Carbon Black, non activated, mineral origin	
7732-18-5	MS-BL-WATER	
9003-11-6	AMINO-METHYL-PROPANOL	
	Emulsifier	
	ammonia, anhydrous	
	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	
	Distillates (petroleum), hydrotreated heavy naphthenic	
	Silica, fused	
	1,2-benzisothiazol-3(2H)-one	
	sodium hydroxide	
	N,N'-ethylenedi(stearamide)	
	Butylated hydroxytoluene	
	ethylene oxide	
123-91-1	1,4-dioxane	
	on-Domestic Substances List (NDSL)	
None of the	ingredients is listed.	

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



- · Signal word Warning
- · Hazard statements
- Causes skin irritation.
- · Precautionary statements
- Wash thoroughly after handling. Wear protective gloves.
- If on skin: Wash with plenty of water.
- Specific treatment (see on this label).
- If skin irritation occurs: Get medical advice/attention.

(Contd. on page 10)

US

Printing date 11/14/2022

Reviewed on 11/14/2022

Trade name: AQUABLAK PLUS 9127-5

(Contd. of page 9)

Take off contaminated clothing and wash it before reuse.

• National regulations:

· Other regulations, limitations and prohibitive regulations

CA prop 65

This product contains a chemical(s) known to the state of California to cause cancer and/or birth defects or other reproductive harm. Pursuant to the California Safe Drinking Water and Toxic Enforcement Act of 1986 we are required to provide the above warning in the absence of definitive testing showing risks from long-term exposure to chemicals present in our formulations do not exist. To the best of our knowledge, this product complies with all Federal and Sate laws and regulations governing its manufacturing, distribution and intended use.

State - Right to know

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Disclaimer:

We believe all the information and data given is accurate as of the date of preparation and is offered in good faith.

This information is given without warranty or representation solely for your consideration, investigation and verification. Since conditions of use is beyond our control, we expressly disclaim all liability for the use or handling of this product.

- · Department issuing SDS: Environment protection department.
- Contact: Carlo Benedetti
- Date of preparation / last revision 11/14/2022
- · Abbreviations and acronyms:
- IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irritation 2: Skin corrosion/irritation – Category 2